

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.

Faint, illegible text at the top of the page, possibly a header or title.

Second block of faint, illegible text, appearing to be the beginning of a paragraph.

Third block of faint, illegible text, continuing the narrative or list.

Fourth block of faint, illegible text, possibly a concluding sentence or a separate entry.

Large area of extremely faint, illegible text occupying the bottom half of the page.

1, 9  
P69P  
Copy 4

LIBRARY  
CURRENT SERIAL RECORD  
★ SEP 9 - 1953 ★  
U. S. DEPARTMENT OF AGRICULTURE

# THE PLANT DISEASE REPORTER

Issued By

## THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey  
BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING  
AGRICULTURAL RESEARCH ADMINISTRATION  
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 218

INDEX TO SUPPLEMENTS 210-217, 1952

Supplement 218

~~Issued April 15, 1953~~



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

THE PLANT DISEASE REPORTER

THE PLANT DISEASE SURVEY

1919

1919

Published by the Department of Agriculture, Bureau of Plant Industry, Washington, D. C.

Volume 1, No. 1, January, 1919

Published by the Department of Agriculture, Bureau of Plant Industry, Washington, D. C.

1919



Published by the Department of Agriculture, Bureau of Plant Industry, Washington, D. C.

Issued by

THE PLANT DISEASE SURVEY  
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER  
SUPPLEMENTS 210-217, 1952

Compiled by Nellie W. Nance

Plant Disease Reporter  
Supplement 218

Index to Supplements  
1952

LIST OF SUPPLEMENTS

- Supplement 210. 1950 summary of results of fungicide tests on crops other than fruit trees. pp. 1-19. March 15, 1952. 1950 summary of results of fungicide tests on fruit and nut trees. pp. 21-31. April 15, 1952. Compiled by the Fungicide Committee of the American Phytopathological Society; Sub-Committee on Testing and Results of Newer Fungicides. See its table of contents and author index below.
- Supplement 211. Insect-transmitted plant diseases: a symposium. pp. 34-55. April 15, 1952. Joint symposium on insect-transmitted plant diseases of the American Phytopathological Society, the American Association of Economic Entomologists, and the Entomological Society of America. Papers presented at the Cincinnati meeting, December 11, 1951. See its table of contents, and author index below.
- Supplement 212. Host index of plant pathogens of Venezuela. pp. 59-106. June 15, 1952. By J. H. Standen. The index includes fungi, bacteria, viruses, nematodes, a destructive leaf lichen (*Strigula elegans*), and mistletoes. The sooty mold group of fungi is omitted.
- Supplement 213. 1951 summary of results of fungicide tests in the United States and Canada. pp. 108-140. August 15, 1952. Compiled by the Fungicide Committee of the American Phytopathological Society; Sub-Committee on testing and results of the newer fungicides. See its table of contents and author index below.
- Supplement 214. Some new or unusual records and outstanding features of plant disease development in the United States in 1951. pp. 142-162. August 15, 1952. Compiled by Nellie W. Nance.
- Supplement 215. Host index to non-fungus diseases of plants in China. pp. 165-186. August 15, 1952. By W. N. Siang.
- Supplement 216. Bibliography of the fungi and bacteria associated with tung (*Aleurites* spp.). pp. 189-199. September 15, 1952. By P. O. Wiehe.
- Supplement 217. The plant disease warning service in 1952. pp. 203-212. By Paul R. Miller and Muriel O'Brien.
- Supplement 218. Index to Supplements 210-217. pp. 215-239. (Issued April 15, 1953). By Nellie W. Nance.

AUTHOR INDEX

- BENNETT, C. W., 43  
 DIMOCK, A. W., (2), (22), 109  
 FREITAG, J. H., 51  
 HAMILTON, J. M., 2, 22, (109)  
 HOLMES, FRANCIS O., 37  
 LEAR, BERT, (2), (22), (109)  
 McCLELLAN, W. D., (2), (22)  
 MILLER, PAUL R., 203  
 MILLS, W. D. (2), (22), 23, (109)  
 NANCE, NELLIE W., 142  
 NEWHALL, A. G., (2), (22), (109)  
 O'BRIEN, MURIEL, (203)  
 POPHAM, W. L., 35  
 SCHROEDER, W. T., (2), (22)  
 SIANG, W. N., 165  
 STANDEN, J. H., 59  
 TURNER, WILLIAM F., 47  
 WIEHE, P. O., 189  
 WILKINSON, R. E., (109)

SUBJECT INDEX

- Abnormalities, of *Gladiolus* spp., 156  
*Abutilon avicennae*: mosaic (virus) in China, 165  
*Acalymma trivittata*, 53  
*Acer* spp.: non-fungus diseases in China, 165  
*Achorella* sp., on *Mikania*, 86  
 --- *andina*, 86  
*Achyranthes bidentata*: *Cuscuta japonica* in China, 165  
*Acremoniella* sp., on *Aleurites montana*, 189  
*Acrogenus solani* var. *vulgaris*, 99  
*Actidione*, 153, 155  
*Actinomyces scabies*, 99  
*Actinonema rosae*, 95  
*Actinopeltis scitula*, 81  
*Actinostemma lobatum* var. *racemosum*: *Cuscuta japonica* in China, 165  
*Aecidium* sp., on *Crinum* sp., 72  
 --- *adenariae*, 79, 91  
 --- *albicans*, 92  
 --- *aridum*, 64  
 --- *bomareae*, 65  
 --- *byrsonimatus*, 66  
 --- *calotheum*, 93  
 --- *cordiae*, 71  
 --- *coutareae*, 71  
 --- *dalechampiicola*, 73  
 --- *daturae*, 73  
 --- *detritum*, 93  
 --- *goyazense*, 101  
 --- *guatemalense*, 80  
 --- *hymenocallis*, 81  
 --- *jacquemontiae*, 82  
 --- *mexicanum*, 69  
 --- *monticolae*, 81  
 --- *psychotriae*, 94  
 --- *serjaniae*, 98  
 --- *singulare*, 66  
 --- *tournefortiae*, 102  
 --- *xanthoxylinum*, 77, 105  
 --- *yuquillae*, 94  
*Aegerita webberi*, 79  
 Africa, 38, 39, 189, 199  
 --- French Equatorial, 199  
*Agalliopsis novella*, 52  
*Ageratum conyzoides*: *Heterodera marioni* in China, 166  
*Agrobacterium tumefaciens*, 155, 160  
*Agropyron semicostatum*: *Cuscuta japonica* in China, 166  
*Akebia quinata*: *Cuscuta japonica* in China, 166  
 Alabama, 7, 8, 109, 206, 211  
*Alangium platanifolium*: *Cuscuta japonica* in China, 166  
*Albizia julibrissin*: *Cuscuta japonica* in China, 166  
*Albugo* sp., on *Euphorbia*, 77  
 --- *bliti*, 61, 73  
 --- *candida*, 65, 66, 95  
 --- *ipomoeae-panduranae*, 82, 88  
 --- *minor*, 82  
 --- *platensis*, 65, 89  
 --- *portulacae*, 94  
 --- *tragopogonis*, 60, 78, 102  
*Aleurites* sp., non-fungus diseases in China, 166  
*Aleurites* spp.: bibliography of the fungi and bacteria associated with, 189-199; fungi parasitic on various organs of, 198  
 Alfalfa: gray mould, 1st rept. from Wis., 144; mosaic virus, 41; violet root rot, 1st rept. from N. C. 144  
*Allium* spp.: non-fungus diseases in China, 166  
*Alternaria* sp(p.), on *Ageratum*, 60; *Aleurites fordii*, 189; *Brassica*, 65, 66; *Citrus*, 70; *Coriandrum*, 71; *Datura*, 74; *Dioscorea*, 75; *Gossypium*, 78; *Guazuma*, 79; *Lactuca*, 83; *Medicago*, 85; *Nicotiana*, 88; *Paspalum*, 91; *Phaseolus*, 92; *Polyscias*, 94; *Sesamum*, 98; *Solanum*,

- (*Alternaria* sp.) 99; *Sonchus*, 100; *Spananthe*, 100; *Triticum*, 102; *Verbena*, 103  
 --- brassicae, 65, 66, 95  
 --- carotae, 3  
 --- citri, 69, 70  
 --- cucumerina, 144, 160  
 --- dauci, 74  
 --- dianthi, 16, 74  
*Alternaria* leaf spot, of carrot, fungicide tests for control of, 3; of *Dianthus caryophyllus*, fungicide tests for control of, 16  
*Alternaria* leaf spot and dieback of bean, 147  
 --- macrospora, 79  
 --- porri, 4, 60, 61, 112  
 --- solani, 5, 6, 65, 73, 84, 99, 113, 114, 116, 206, 207  
 --- tomato, 116  
*Amaranthus* spp.: *Cuscuta japonica* in China, 166  
*Amazonia acalyphae*, 60  
 --- asterinoides, 93  
*Amorphophallus konjac*: *Erwinia carotovora* in China, 166  
*Ampelopsis heterophylla*: *Cuscuta japonica* in China, 166  
*Angiopsora compressa*, 90, 91  
 --- lenticularis, 83  
 --- zeae, 105  
*Anthostomella cecropiae*, 68  
 --- rhizophorae, 95  
 Anthracnose, of *Celastrus scandens*, 145, 148; cucumber, 211, fungicide tests for control of, 10, 112; *Mentha canadensis* and *M. citrata*, 146; peach, 145, 154; pepper, fungicide tests for control of, 10; *Platanus racemosa*, fungicide tests for control of, 18; raspberry, fungicide tests for control of, 117, 135; *Rosa multiflora*, 146; tobacco, 146; tomato, fungicide tests for control of, 6, 117  
*Antirrhinum majus*: rust, 17, fungicide tests for control of, 118  
*Aphananthe aspera*: *Cuscuta japonica* in China, 166  
*Aphelenchoides* sp., on *Chrysanthemum*, fungicide tests for control of, 17  
 --- ritzema-bosi, on *Vanda Miss Joaquim* orchid, 156  
*Aphis ferruginea striata*, 52  
 --- gossypii, 152  
 --- rumicis, 52  
*Apium graveolens*: non-fungus diseases in China, 166  
*Aposphaeria* sp., on *Oryza*, 88  
 Apple (see also *Malus*): bitter rot, fungicide tests for control of, 29, 129, 130; black pox, fungicide tests for control of, 128, 129; black rot, fungicide tests for control of, 29, 120, 129, 130; blossom end rot, 153; *Botrytis* blossom end rot, 144; Brooks' spot, fungicide tests for control of, 30; (Apple) cedar rust, fungicide tests for control of, 28; European canker, 35; fire blight, fungicide tests for control of, 29, 128; fly speck, fungicide tests for control of, 128; fruit spot, fungicide tests for control of, 129; *Gloeosporium perennans* fruit rot, fungicide tests for control of, 130; perennial canker, 35; powdery mildew, fungicide tests for control of, 29, 131; root rot, 1st rept. from Ga., 145; russet, fungicide tests for control of, 30, 129, 130; scab, 153, fungicide tests for control of, 23, 119; silver leaf, 153; sooty blotch, fungicide tests for control of, 29, 128, 129  
*Arachis hypogaea*: non-fungus diseases in China, 167  
 Arasan, corn seed treatment as protection against rodents, 151  
*Arctium lappa*: *Xanthomonas nigromaculans* in China, 167  
 Argentina, 43, 44, 189, 199  
 Arkansas, 150, 154, 203, 207, 211  
*Armillaria mellea*, on *Aleurites* spp., 190  
*Artemisia* spp.: *Cuscuta japonica* in China, 167  
*Arthuria columbiana*, 72  
*Aschersonia aleyrodis*, 68  
 --- basicystis, 69  
 --- brunnea, 69  
 --- placenta, 64  
 --- turbinata, 69  
*Ascochyta* sp., on *Althaea*, 61; *Canavalia*, 67; *Crotalaria*, 72; *Hibiscus*, 80; *Malva*, 85; *Phaseolus*, 92; *Robinia*, 95; *Solanum*, 99; *Vigna*, 103  
 --- abelmoschi, 80, 161  
 --- aleuritidis, on *Phyllosticta aleuritidis* on *Aleurites fordii*, 190  
 --- althaeina, 61  
 --- citri, 69, 70  
 --- gossypii, 78, 157  
 --- leaf spot, of tobacco, 157  
 --- lycopersici, 99  
 --- phaseolorum, 161  
 --- pisi, 62, 70, 72, 78, 92, 93, 103  
*Ascopolyporus polychrous*, 69  
 Asia, 198  
*Aspergillus niger*, 69  
*Asperisporium caricae*, 67  
*Aster*: yellows (virus), 36  
 --- trinervius var. *adustus*: *Cuscuta japonica* in China, 167  
*Asterina acalyphae*, 60  
 --- ampullifera, 105  
 --- diplocarpa, 98  
 --- henningsii, 99  
 --- kernii, 66  
 --- libertiae, 82  
 --- loranthicola, 92  
 --- mandaquiensis, 76

- (*Asterina*) *megalospora*, 91  
 --- *passiflorae*, 91  
 --- *rariopoda*, 65  
 --- *urbei*, 86  
 --- *vagans*, 98  
*Asterinella bredemeyerae*, 66  
 --- *winteriana*, 62  
*Asteromoea* sp.: *Cuscuta japonica* in China, 167  
*Atanus exitiosus*, 45  
*Aureomycin hydrochloride*, 161  
*Auricularia cornea*, on *Aleurites moluccana*, 190  
 --- *polytricha*, on *Aleurites moluccana*, 190  
 Australasia, 199  
 Australia, 199  
 Avocado, 135  
 Azalea, see *Rhododendron*
- Bacillus* sp., on *Nicotiana*, 88  
 Bacterial blight, of bean, fungicide tests for control of, 3; cotton, 157; *Juglans regia*, fungicide tests for control of, 136  
 --- diseases, of soybean, 152  
 --- halo blight, of bean, 161  
 --- olive-knot disease, of olive, 35  
 --- scab, of *Gladiolus*, fungicide tests for control of, 15  
 --- spot, of peach, fungicide tests for control of, 30, 131  
 --- wilt, of bean, 161; corn, 151; cucurbits, 35  
 Bacteriosis, of *Juglans regia*, fungicide tests for control of, 31  
*Bacterium stewartii*, 151  
*Bagnisiopsis* sp., on *Miconia*, 86  
 --- *peribebuyensis*, 70, 86  
 --- *maculans*, 98  
 --- *spinulosa*, 86  
 --- *tijucensis*, 86  
 --- *toledo*, 70, 86  
*Balansia claviceps*, 89  
 Barley: brown stripe, fungicide tests for control of, 150; covered smut, fungicide tests for control of, 150; downy mildew, 150; mosaic (virus), new to California, 150; yellow dwarf (virus), 1st rept. this country (Calif.), 147  
 Basal rot, of *Narcissus*, fungicide tests for control of, 18  
 Bean (see also *Phaseolus*): *Alternaria* leaf spot and dieback, 1st rept. from Fla., 147; bacterial blight, fungicide tests for control of, 3; bacterial halo blight, 161; bacterial wilt, 161; damping-off, fungicide tests for control of, 3; *Fusarium* and *Rhizoctonia*, fungicide tests for control of, 3; *Fusarium* root rot, 161; hail damage, 161; leaf spot, 161; mosaic (virus), 37, 161; *Pythium* stem rot, 161; rust, 161  
 Bean, lima: downy mildew, 35, 212; leaf spot, (Bean, lima) 161  
 Beet: yellows (virus), 38  
*Begonia* sp.: *Pratylenchus* sp., 155  
 --- *evansiana*: *Xanthomonas begoniae* in China, 167  
 Belgian Congo, 189, 199  
*Bemisia gossypiperda*, 39  
*Benincasa hispida*: *Erwinia tracheiphila*, or *Xanthomonas solanacearum* in China, 167  
 Bermuda, 199  
*Beta vulgaris*: non-fungus diseases in China, 167  
 Bibliography of the fungi and bacteria associated with tung (*Aleurites* spp.). Suppl. 216, pp. 189-199  
 Bitter rot, of apple, fungicide tests for control of, 29, 129, 130  
 Bittersweet, see *Celastrus*  
 Black leaf spot, of *Helleborus niger*, 146  
 Black line, of *Juglans hindsii*, 155; *J. regia*, 155  
 Black patch, of *Trifolium pratense*, 152  
 Black pox, of apple, fungicide tests for control of, 128, 129  
 Black rot, of apple, fungicide tests for control of, 29, 120, 129, 130; grape, fungicide tests for control of, 31, 134; sweet-potato, fungicide tests for control of, 115  
 Black spot, of *Rosa*, fungicide tests for control of, 16  
 Black shank, of tobacco, 158  
 Black tip, of peach, 154  
 Blast, of onion, 159, fungicide tests for control of, 4  
 Blight, of chestnut, 35  
 ---, aerial, of soybean, 152  
 Blossom blight, of peach, fungicide tests for control of, 132; sweet cherry, fungicide tests for control of, 29  
 Blossom end rot, of apple, 153  
 Blueberry (see also *Vaccinium*): stunt (virus), 1st rept. from Md., 145  
 Blue mold, of pepper, 211; tomato, 211; tobacco, 157, 203, fungicide tests for control of, 19, 115  
 Blue stain, of conifers, 35  
*Blumea hieracifolia*: *Heterodera marioni* in China, 167  
*Boehmeria* spp.: *Cuscuta japonica* in China, 167  
 Bordeaux mixture, 155, 161, 204, 205, 208, 212  
*Botryosphaeria multipunctata*, 70, 86  
 --- *ribis*, 120, 129, 130, 135, 190  
*Botrytis* sp., on *Allium*, 60; *Euphorbia*, 77  
 --- blossom blight, of *Citrus limon*, fungicide tests for control of, 31  
 --- blossom end rot, of apple, 144  
 --- cinerea, 135, 144, 153, 190; on lemon,



- (*Botrytis cinerea*) fungicide tests for control of, 136  
 --- *liliorum*, 148  
 --- *vulgaris*, 91, 95, 99  
*Brassica* spp. non-fungus diseases in China, 167, 168  
 Brazil, 43, 189, 199  
*Bremia lactucae*, 83  
*Brevipalpus*, 152  
 British Columbia, 28, 119, 155  
 British Isles, 38  
*Bromus japonicus*: *Cuscuta japonica* in China, 168  
 --- *marginatus*: head smut, 151  
 Brooks' spot of apple, fungicide tests for control of, 30  
*Broussonetia kaempferi*: *Cuscuta japonica* in China, 168  
 Brown rot, of lemon, fungicide tests for control of, 136; peach, 154; fungicide tests for control of, 131, 132; sweet cherry, fungicide tests for control of, 31  
 Brown stem rot, of soybean, 145, 152  
 Brown stripe, of barley, fungicide tests for control of, 150  
*Bubakia venezuelana*, 72  
 Bulb rot, of *Lilium auratum*, 148  
 Bunt, of wheat, fungicides tested for control of, 150  
*Bupleurum falcatum*: *Cuscuta japonica* in China, 169  
 Burma, 189, 198  
 Cabbage: downy mildew, fungicide tests for control of, 3  
 Cacao: swollen shoot (virus), 43  
*Caeoma torreyae*, on California-nutmeg, 148  
*Calidion lidsaeae*, 94  
 California, 4, 7, 23, 31, 45, 109, 118, 137, 145 ff., 153 ff., 160  
 California-nutmeg: *Caeoma torreyae* n. sp. (Calif.), 148; *Clasterosporium obclavatum* n. sp., (Calif.), 148  
*Calladonus geminatus*, 154  
*Callicarpa* spp.: *Cuscuta japonica* in China, 169  
*Callistephus chinensis*: rust, fungicide tests for control of, 118  
*Calonectria erubescens*, 85  
*Calostilbe striispora*, 76  
*Camarosporium* sp., on *Zea*, 105  
*Camellia*: rot rot, 1st rept. from California, 145  
*Camillea bomba*, 68  
 Canada, 4, 23, 44, 109, 151  
*Canarium album*: non-fungus diseases in China, 169  
*Canavalia gladiata*: *Heterodera marioni* in China, 169  
 Canker and leaf spot, of soybean, 152  
 Cantaloupe: downy mildew, fungicide tests for (Cantaloupe) control of, 11; leaf blight, 144; *Macrosporium* leaf spot, fungicide tests for control of, 11, 111; virus infection (seed transmission and proximity to aphid-breeding areas), 159  
 Cape-jasmine, see *Gardenia*  
*Capitophorus fragaefolii*, 153  
*Capnodium* sp., on *Artocarpus*, 63  
*Capsicum* spp.: non-fungus diseases in China, 169  
*Carica papaya*: non-fungus diseases in China, 169  
*Carnecephala fulgida*, 47  
*Carpesium abrotanoides*: *Cuscuta japonica* in China, 169  
 Carrot: *Alternaria* leaf spot, fungicide tests for control of, 3; *Cercospora* leaf spot, fungicide tests for control of, 3  
*Carthamus tinctorius*: root rot, 157; rust, 157  
*Carya illinoensis*, see *C. pecan*  
 --- *pecan*: scab, 155, fungicide tests for control of, 31, 136  
*Castanea* spp.: non-fungus diseases in China, 169  
 --- *dentata*: blight, 35  
*Catacauma* sp., on *Roupala*, 96  
 --- *contractum*, 79  
 --- *eugeniicola*, 76  
 --- *huberi*, 80  
 --- *myrciae*, 87  
 --- *paramoense*, 103  
 --- *portoricensis*, 77  
 --- *rhopalinum*, 96  
 --- *venezuelensis*, 84  
*Catacaumella miconiae*, 86  
*Catalpa* sp.: *Heterodera marioni* in China, 169  
*Cuadella psidii*, 94  
*Cedrus deodara*: root rot, new host (Calif.), 149  
*Celastrus scandens*: anthracnose, 1st rept. from Md., 145, new host (N. Y.), 148  
 Celery: damping-off, 159; early (*Cercospora*) and late (*Septoria*) blight, leaf spot, fungicide tests for control of, 4, 111; southern celery mosaic (virus), 39; western celery mosaic (virus), 52  
*Celtis sinensis*: *Cuscuta japonica* in China, 169  
*Centaurea cyanus*: *Sclerotinia* spp., 155  
*Cephaleuros* sp., on *Citrus*, 69  
*Cephalosporium* sp., on *Aleurites* spp., 190  
 --- *gregatum*, 145, 152  
 --- *lecanii*, 71  
*Ceratoma ruficornis*, 53  
 --- *trifurcata*, 53  
*Ceratostomella* spp. spread by *Ips*, 35  
 --- *ulmi*, 35, 159  
*Cercospora* sp., on *Abutilon*, 60; *Aleurites*, 60; *Alternanthera*, 61; *Amaranthus*, 61;

- (*Cercospora* sp.) *Antigonum*, 62; *Asclepias*, 63; *Buddleia*, 66; *Bunchosia*, 66; *Cassia*, 68; *Chlorophora*, 69; *Chrysanthemum*, 69; *Crotalaria*, 72; *Croton*, 72; *Desmodium*, 74; *Erodium* sp., 76; *Eupatorium*, 76, 77; *Gliricidia*, 78; *Helianthus*, 80; *Hydrangea*, 80; *Ionoxalis*, 81; *Linum*, 84; *Melia*, 85; *Miconia*, 86; *Mimosa*, 86; *Myosotis*, 87; *Pachira*, 89; *Papaver*, 89; *Pereskia*, 91; *Persea*, 91; *Phoradendron*, 92; *Polygonum*, 94; *Ricinus*, 95; *Rumex*, 96; *Scabiosa*, 97; *Swietenia*, 101; *Terminalia*, 101; *Theobroma*, 101; *Verbena*, 103; *Vernonia*, 103; *Vigna*, 103; *Wulffia*, 104
- *adianti*, 60  
 --- *agnostoica*, 65  
 --- *althaeina*, 61  
 --- *amadelpha*, 87  
 --- *ambrosiae*, 61  
 --- *anonaceae*, 62  
 --- *anthelmintica*, 69  
 --- *apii*, 4, 62, 111  
 --- *carotae*, 3  
 --- *arctii-ambrosiae*, 61  
 --- *argythamniae*, 75  
 --- *armoraciae*, 65  
 --- *asparagi*, 63  
 --- *atromarginalis*, 67, 99  
 --- *atropurpurascens*, 78  
 --- *avicularis*, 94  
 --- *bataticola*, 82  
 --- *bauhiniae*, 93  
 --- *beticola*, 64, 100  
 --- *bidentis*, 64, 71  
 --- *bixae*, 64, 104  
 --- *blechi*, 64  
 --- *bocconiae*, 64  
 --- *boehmeriae*, 65  
 --- *boldoae*, 97  
 --- *brachiata*, 61  
 --- *brachycarpa*, 98, 99  
 --- *brasiliensis*, 75  
 --- *brunkii*, 91  
 --- *bunchosiae*, 66  
 --- *cajanae*, 66  
 --- *calotropidis*, 67  
 --- *canavaliae*, 67  
 --- *canescens*, 92, 103, 104  
 --- *capsici*, 67  
 --- *caracasensis*, 62  
 --- *caribaea*, 85  
 --- *cayaponiae*, 79  
 --- *celosiae*, 68  
 --- *centaureae*, 68  
 --- *centrosemae*, 68  
 --- *cestri*, 68  
 --- *chardoniana*, 87  
 --- *chevalieri*, 105  
 --- *chirguensis*, 73  
 --- *chrysanthemi*, 69
- (*Cercospora*) *citrullina*, 69  
 --- *clavata*, 63  
 --- *cleomes*, 70  
 --- *clitoriae*, 70  
 --- *clitoridis*, 70  
 --- *coffeicola*, 71  
 --- *conocarpi*, 71  
 --- *conspicua*, 70  
 --- *cordiae*, 71  
 --- *costeriana*, 98, 99, 100  
 --- *crotalariae*, 72  
 --- *cruciferarum*, 95  
 --- *cruenta*, 92, 103  
 --- *curatellae*, 73  
 --- *cyclantherae*, 73  
 --- *demetritioniana*, 72  
 --- *desmodiicola* var. *leiocarpa*, 74  
 --- *diantherae*, 82  
 --- *diffusa*, 67  
 --- *dioscoreae*, 74  
 --- *donnel-smithii*, 63  
 --- *durantae*, 75  
 --- *echinochloae*, 75  
 --- *elasticae*, 77  
 --- *elephantopodis*, 75  
 --- *emmeorrhizae*, 75  
 --- *erythrinae*, 76  
 --- *espeletiae*, 76  
 --- *euphorbiae*, 77  
 --- *fagopyri*, 77  
 --- *flocculosa*, 79  
 --- *fuchsiae*, 78  
 --- *fukushiana*, 81  
 --- *fusca*, 67  
 --- *fusimaculans*, 89  
 --- *gliricidiae*, 78  
 --- *glycines*, 78  
 --- *gnaphaliaceae*, 78  
 --- *gomphrenicola*, 92  
 --- *gossypii*, 79  
 --- *gracilenta*, 63  
 --- *grisea*, 94  
 --- *grisleae*, 79  
 --- *guazumae*, 79  
 --- *guianensis*, 83  
 --- *helianthi*, 79  
 --- *heliotropii*, 80  
 --- *henningsii*, 85  
 --- *hibisci*, 80  
 --- *hibiscina*, 60, 80  
 --- *hurae*, 80  
 --- *hyalospora*, 98  
 --- *hydrocotyles*, 80  
 --- *hypsochloae*, 87  
 --- *hypticola*, 81  
 --- *ibatiae*, 81  
 --- *impatiens*, 81  
 --- *ipomoeae*, 71, 82  
 --- *jaguarensis*, 99  
 --- *jahnii*, 101  
 --- *jasminicola*, 82

## (Cercospora) jussiaeae, 82

- koepkei, 96
- krugiana, 65
- lactucae, 83
- lantanae, 83
- lanugiflori, 99
- leaf spot, of carrot, fungicide tests for control of, 3; celery, fungicide tests for control of, 4
- liebenbergii, 95
- longipes, 96
- longissima, 83
- ludwigiae, 82
- lupinicola, 84
- macutensis, 71
- malachrae, 84
- malayensis, 80
- mali, 73, 84, 95
- mangiferae, 85
- manoensis, 72
- maritima, 72
- medicaginis, 85
- meibomiae, 74
- melanotes, 85
- modesta, 99
- mombin, 100
- monninae, 87
- monochaeti, 87
- musae, 87
- nicotianae, 88
- obscura, 73
- oryzae, 88
- oxalidiphila, 89
- pachirae, 89
- parthenii, 90
- pavoniae, 91
- personata, 62
- petuniae, 92
- phaseolina, 92
- piperis, 93
- pittieri, 76
- plantaginis, 93
- pluchaeae, 93
- poincianae, 94
- polygonorum, 94
- portoricensis, 93
- pteridii, 61
- punicae, 95
- purpurea, 91
- rauwolfiae, 95
- rhapontici, 95
- rhinocarpi, 61
- ricinella, 95
- rosaecola, 95
- salpianthi, 97
- samaneae, 97
- sechii, 97
- securidacae, 97
- sesami, 98
- simulata, 68
- sojina, 78

## (Cercospora) solanaceae, 100

- solanicola, 99
  - sorghi, 100
  - sphaeralceicola, 60
  - spilsticta, 93
  - stachytarphetae, 100
  - stenolobiicola, 101
  - stizolobii, 100
  - struthanthi, 100
  - torenicola, 102
  - tovariae, 102
  - tremae, 102
  - trichophila, 99
  - triumfettae, 103
  - truncatella, 91
  - turnerae, 103
  - uramensis, 70
  - urostigmatis, 77
  - venezuelae, 99
  - verbeniphila, 103
  - verruculosa, 105
  - vexans, 78
  - viciae, 103
  - vignicola, 104
  - violae, 104
  - vismiae, 104
  - viticola, 104
  - zaeae-maydis, 105
  - zinniae, 105
  - zonata, 103
- Cercosporella albo-maculans, on turnip greens, fungicide tests for control of, 117
- hurae, 80
  - theae, on Aleurites spp., 190
- Cereals: races of rust, use of cyclone separators, 150
- Cerebella andropogonis, 89, 102
- panici, 89
- Cerotelium desmium, 79
- fici, 77, 78
- Ceylon, 198
- Chaetospermella tecomis, 101
- Chaetostigme cordiae, 71
- Chaetostigmella parasitica, 105
- Chalara quercina, 146, 158
- Chamaecyparis lawsoniana var. elwoodii: root rot, 1st rept. from Calif., 146
- Cherry: dry stem (arsenical injury), fungicide tests for control of, 134; leaf spot, fungicide tests for control of, 30; yellows (virus), 44
- , sour: leaf spot, 133, 153; Western X-little cherry virus, 154
  - , sweet: blossom blight, fungicide tests for control of, 29; brown rot, fungicide tests for control of, 31; Western X-little cherry virus, 154; X-disease (virus), 1st rept. from New York, 145
- China, 189, 198, host index to non-fungus diseases of plants in, 165-186

- Chionanthus retusa*: *Cuscuta japonica* in China, 170  
*Chlorogenus* sp. (virus), on *Physalis*, 93  
 Chlorotic phyllody, of strawberry, 148  
*Choanephora* sp., on *Brassica*, 65; *Gossypium*, 79  
 Chokecherry: Western X-disease, 154  
*Chrysanthemum*: *Aphelenchoides* sp., fungicide tests for control of, 17; leaf spot, fungicide tests for control of, 17, 118; *Lethum australiense*, *Lycopersicon virus 3*, in China, 170  
*Chrysocelis lupini*, 84  
*Chrysocylus cestri*, 68  
 --- *mikaniae*, 86  
 --- *senecionis*, 97  
*Cicadellidae*, 48  
*Cichorium endivia*: *Erwinia carotovora* in China, 170  
*Cinnamomum* spp.: non-fungus diseases in China, 170  
*Cintractia axicola*, 78  
 --- *leucoderma*, 96  
 --- *limitata*, 73  
 --- *utriculicola*, 96  
*Cionothrix praelonga*, 76, 77, 86  
*Circulifer tenellus*, 50, 52  
*Cirsium* spp.: *Cuscuta japonica* in China, 170  
*Citrullus vulgaris*: mosaic (virus) in China, 170  
*Citrus* spp.: Argentina's lepra explosiva, 152; Florida's scaly bark, see leprosis; leprosis (scaly bark), 152; non-fungus diseases in China, 170; quick decline and related diseases (virus), 152; tristeza (virus), 43  
 --- *grandis*: melanose, fungicide tests for control of, 135  
 --- *limon*: *Botrytis* blossom blight, fungicide tests for control of, 31, 136; *Phytophthora* brown rot, fungicide tests for control of, 31, 136; tree collapse and decline (cause unknown), 153  
*Cladosporium* sp., on *Panicum*, 89; *Phaseolus*, 92; *Polygala*, 94; *Prunus*, 61; *Thuja* sp., 101  
 --- *calotropidis*, 67  
 --- *carpophilum*, 132  
 --- *effusum*, 31, 136, 155  
 --- *fulvum*, 84  
 --- *guanicensis*, 62  
 --- *vignae*, 104  
*Clasterosporium obclavatum*, on California-nutmeg, 148  
*Clausena lansium*: *Loranthus parasiticus* in China, 172  
*Claviceps* sp., on *Panicum*, 89; *Setaria*, 98  
 --- *paspali*, 90  
 --- *purpurea*, 35, 89  
*Clinoconidium farinosum*, 88  
*Clitocybe tabescens*, on *Aleurites*, 190  
 Clubroot, of crucifers, 147  
*Clypeotrabutia deminuta*, 66  
 --- *meridensis*, 83  
 --- *portoricensis*, 70  
 Cob rot, of corn, 144  
*Coccomyces hiemalis*, 133, 153  
*Cocculus trilobus*: *Cuscuta japonica* in China, 172  
*Coleosporium* sp., on *Elephantopus*, 75  
 --- *domingensis*, 93  
 --- *elephantopodis*, 75, 88, 94  
 --- *eupatorii*, 77  
 --- *ipomoeae*, 82  
 --- *solidaginis*, 118  
 Collapse and decline, of lemon tree, 153  
*Colletotrichum* sp., on *Aleurites montana*, 191; *Capsicum*, 67; *Citrus*, 70; *Coffea*, 71; *Dioscorea*, 75; *Malpighia*, 84; *Melicocca*, 85; *Opuntia*, 88; *Oxalis*, 89; *Passiflora*, 91; *Persea*, 91; *Solanum*, 99; *Sorghum*, 100; *Theobroma*, 101; *Thuja*, 102; tobacco, 146  
 --- *agaves*, 60  
 --- *atramentarium*, 67, 99  
 --- *circinans*, 61  
 --- *coffeanum*, 71  
 --- *gloeosporioides*, 62, 69, 70, 73, 85, 91  
 --- --- *var. aleuritidis*, 191  
 --- *gossypii*, 79, 111  
 --- *lagenarium*, 10, 69, 112, 211  
 --- *limeticola*, 70  
 --- *lindemuthianum*, 92  
 --- *lineola*, 100  
 --- *nigrum*, 67  
 --- *papayae*, 67  
 --- *phomoides*, 6, 84, 117  
*Colocasia esculenta*: non-fungus diseases in China, 172  
 Colorado, 2, 4, 109, 137, 204, 207  
*Columella japonica*: *Cuscuta japonica* in China, 172  
*Commelina communis*: *Cuscuta japonica* in China, 172  
 Conifers: blue stain, 35  
*Coniothyrium* sp., on *Punica*, 95  
 --- *hellebori*, 146  
 --- *melanosporum*, 96  
 --- *panici*, 89  
 Connecticut, 7, 12, 23, 109, 118, 153, 157, 162, 204, 207, 209  
 Control, of celery damping-off by trans 1, 4-dibromobutene-2, 159; corn rust, by *Darluca filum*, 151; peach brown rot, 154; strawberry red stele, 153; tomato anthracnose, 161; tomato gray leaf spot, 161  
*Corchorus capsularis*: *Xanthomonas nakatae* in China, 172  
*Cordana musae*, 87  
*Corium solani*, 99  
 Corn (see also *Zea*): bacterial wilt, 151; cob rot, 1st rept. from Md., 144;

- (Corn) glass-tumbler technique for incubating seed, 151; leaf blight, 144, 151; northern leaf blight, fungicide tests for control of, 111; rust, 151; seed and soil-borne rots, fungicide tests for control of, 111; seed decay and seedling disease, fungicide tests for control of, 5; seed rot and seedling blight, fungicide tests for control of, 111; seed treatment with Arasan, protection against rodents, 151; stripe disease (virus), 39
- Cornus florida*: spot anthracnose, 158
- Corticium* sp., on *Gardenia*, 78
- *microsclerotia*, on *Aleurites fordii*, 191
- *salmonicolor*, on *Aleurites* spp., 191
- *stevensii*, on *Aleurites* spp., 191
- Corylus* sp.: *Labrella coryli*, 1st rept. from North America, (Md.), 148
- Coryne sarcoides*, on *Aleurites* sp., 191
- Corynebacterium flaccumfaciens*, 161
- *sepedonicum*, 99, 162
- Cotton: *Ascochyta* blight, 157; bacterial blight, 157; damping-off, fungicide tests for control of, 111; leaf curl (virus), 39; nematode root rot, 1st rept. from La., 146; *Thielaviopsis* root rot, 1st rept. from Tex., 146
- Cowpea: mosaic (virus), 53; red stem canker, 1st rept. from S. C., 145
- Crinipellis perniciosa*, 101
- Cronartium* sp., on *Byrsonima*, 66; *Eupatorium*, 76
- *ribicola*, 117
- Crossopora caucensis*, 69
- *notata*, 66
- Crotalaria saltiana*: Virus disease in China, 172
- Crown gall, of tomato, 160
- Crucifers: clubroot, 1st rept. from Fla., 147
- Cryptotaenia canadensis*: *Cuscuta japonica* in China, 172
- Cucumber: anthracnose, fungicide tests for control of, 10, 112; downy mildew, 160, fungicide tests for control of, 112; mosaic (virus), 39, 41; powdery mildew, fungicide tests for control of, 112
- Cucumis* spp.: non-fungus diseases in China, 172
- Cucurbita* spp.: non-fungus diseases in China, 172
- Cucurbits: bacterial wilt, 35; downy mildew, 203; fungicide evaluation studies, 10; leaf blight, 160
- Cudrania tricuspidata*: *Cuscuta japonica* in China, 173
- Cuerna costalis*, 48
- Cupressus sempervirens glauca*: root rot, new host (Calif.), 149
- Curvularia* sp., on *Oryza*, 88
- *trifolii*, 102
- Cuscuta* sp., on *Medicago*, 85
- Cydnidae*, 47
- Dahlia: mosaic (virus) in China, 173; spotted wilt virus, 37
- Dalbergia hupenana*: *Cuscuta japonica* in China, 173
- Damping-off, of bean, fungicide tests for control of, 3; celery, 159; cotton, fungicide tests for control of, 111; lettuce, fungicide tests for control of, 14; peas, fungicide tests for control of, 5; *Pinus echinata*, 158; *P. taeda*, 158
- Darlucia* sp., on *Puccinia*, 95
- *filum*, 95; on *Puccinia sorghi*, first rept. from Iowa, 151
- Dasyscypha gregaria*, 105
- Datura metel*: mosaic (virus) in China, 173
- Daucus carota*: non-fungus diseases in China, 173
- DDT, 36, 50
- Delaware, 12, 23, 27, 109, 118, 137, 154, 160, 161, 205, 207, 211, 212
- Deltocephalus striatus*, 39
- Desmella aneimiae*, 62
- *gymnogrammes*, 93
- *superficialis*, 64, 75
- Desmodium laburnifolium*: *Cuscuta japonica* in China, 173
- Dewberry, see *Rubus*
- Dexteria pulchella*, 97
- Diabrotica undecimpunctata*, 53
- Dianthus caryophyllus*: *Alternaria* leaf spot, fungicide tests for control of, 16; *Fusarium* root rot, fungicide tests for control of, 16; *Fusarium* wilt and branch rot, 16; *Rhizoctonia* stem rot, fungicide tests for control of, 16
- Diaporthe phaseolorum* var. *batatatis*, 145
- Diatractium cordiae*, 71
- *ingae*, 81
- Dicheirinia* sp., on *Erythrina*, 76
- *binata*, 76
- Dictyochlorella* sp., on *Imperata*, 81
- Dictothyriella lourdes*, 76
- Didymellina macrospora*, 18, 118
- Dihydrostreptomycin sulfate*, 161
- Dimeriella cordiae*, 71
- *erigeronicola*, 76
- Dimeriellopsis heterotrichi*, 80
- Diospyros* spp.: non-fungus diseases in China, 173
- Diplocarpon earliana*, 135
- *rosae*, 16
- Diplodia* sp., on *Aleurites*, 191; *Cassia*, 68; *Nicotiana*, 88; *Persea*, 91; *Rosa*, 95
- *frumentii*, 105
- *natalensis*, 60, 69
- Dipsacus fullonum*, mosaic (virus), 157
- Disease and insect problems on *Hibiscus cannabinus*, in Fla., 157
- Diseases, new to this country, 147

- Distribution of fungi pathogenic to *Aleurites* spp., 198
- Distribution and origin of new or little known virus diseases, 43
- Dithane, 151, 208, 210
- Dithane D-14, 153, 204
- Dithane Z-78, 204
- Ditylenchus destructor*, 162
- Dolichodorus heterocephalus*, on *Eleocharis dulcis*, 157
- Dolichos lablab*: mosaic (virus) in China, 173
- Dollar spot, of Gramineae, fungicide tests for control of, 19, 118
- Dothichloë* sp., on *Aristida*, 63; *Panicum*, 89
- *aristidae*, 63
- *atramentosa*, 62
- *granulosa*, 79
- *nigricans*, 69
- Dothidea* sp., on *Roupala*, 96
- *aristidae*, 63
- Dothidella ulei*, 80
- Dothiqina* sp., on *Miconia*, 86
- *parisi*, 86
- *sphaerospora*, 70
- Downy mildew (see also blue mold), barley, 150; cabbage, fungicide tests for control of, 3; cantaloupe, fungicide tests for control of, 11; cucumber, 160, fungicide tests for control of, 112; cucurbits, 203; grape, fungicide tests for control of, 134; lima bean, 35, 212; oats, 150; onion, 159, fungicide tests for control of, 4, 112; *Rosa* spp., 156; spinach, fungicide tests for control of, 115; watermelon, fungicide tests for control of, 11
- Draeculacephala minerva*, 47
- Dry stem, of cherry, fungicide tests for control of, 134
- Dutch elm disease, of *Ulmus*, 35, 159
- Early blight, of celery, fungicide tests for control of, 4, 111; potato, 206, 207, fungicide tests for control of, 5, 113, 114; tomato, fungicide tests for control of, 6, 116
- Echidnodella cedralensis*, 95
- Echinoclhoa crusgalli*: *Cuscuta japonica* in China, 173
- Ectosticta costaricana*, 82
- Elaeagnus pungens*: threadblight, 155
- Eleocharis dulcis*: awl nematode, 157
- Elsinoë* sp., on *Prunus*, 94
- *ampelina*, 104
- *corni*, 158
- *veneta*, 117, 135
- Endoconidiophora fimbriata*, 115
- Endophylloides portoricensis*, 86
- Endophyllum* sp., on *Cissus* sp., 69; *Ipomoea*, 82
- *decoloratum*, 104
- *guttatum*, 69
- *stachytarphetae*, 100
- Endothia parasitica*, 35
- Entyloma* sp., on *Bidens*, 64
- *dahliae*, 73
- *ellisii*, 147
- *galinsogae*, 78
- *incertum*, 64
- *oryzae*, 88
- Epiphyma nervisequens*, 83
- Eriobotrya japonica*: *Pseudomonas eriobotryae* in China, 173
- Erwinia amylovora*, 29, 35, 128, 131
- --- f. sp. *rubi*, 155
- *carotovora*, 67, 84, 99
- *tracheiphila*, 35
- Erysiphe* sp., on *Mentha* spp., 146
- *cichoracearum*, 72, 73, 80, 105, 112
- *polygona*, 75, 92
- Eudarlucia* sp., on *Puccinia*, 95
- Eupatorium* spp.: *Cuscuta japonica* in China, 173
- Euphorbia longan*: non-fungus diseases in China, 174
- Europe, 37, 44
- European canker, of apple, 35
- Evonymus* spp.: *Cuscuta japonica* in China, 174
- Fabraea maculata*, on pear, fungicide tests for control of, 131
- Ferbam, 153, 209, 210
- Fermate, 161
- Ficus carica*: *Macrophoma fici*, 1st rept. from Md., 145; non-fungus diseases in China, 174
- Filbert, see *Corylus*
- Fire blight, of apple, fungicide tests for control of, 29, 128; pear, 35, 131
- Fixed coppers, 205, 208, 212
- Florida, 8, 11, 12, 109, 119, 137, 147, 148, 151, 155, 157, 159, 160, 205, 207, 209, 211
- Flueggea capillipes*: *Cuscuta japonica* in China, 174
- Fly speck, of apple, fungicide tests for control of, 128
- Fomes applanatus*, on *Aleurites montana*, 192
- *hawaiiensis*, on *Aleurites*, 192
- *lignosus*, on *Aleurites montana*, 192
- *noxius*, on *Aleurites montana*, 192
- Foot rot, of *Hibiscus* spp., 148
- Fortunella* spp.: non-fungus diseases in China, 174
- Fraxinus bungeana*: *Cuscuta japonica* in China, 174
- Fruit and nut trees, fungicide tests, results of, 22
- Fruit rot, of *Persea americana*, fungicide tests for control of, 135; tomato, 161
- Fruit spot, of apple, fungicide tests for control of, 129

- Fuller's teasel and pincushion flower, see *Dipsacus*
- Fungi, parasitic on various organs of *Aleurites* spp., 198; soil treatments to control, 14
- Fungicide evaluation studies, on cucurbits, 10; ornamental plants, 15; vegetable crops, 3
- Fungicide-insecticide program, for mildew, blast and thrips control of onion, 159
- Fungicide tests on crops other than fruit trees, Suppl. 210 cont'd. pp. 22-31; fruit and nut trees, 22-31; 1951 summary of results in the United States and Canada, Suppl. 213, 109-140; tobacco and turf, 19
- Fungicides tested for control of barley, oat, and wheat diseases, 150; used in ornamentals and vegetable tests in 1951, 110
- Fusarium* sp(p.), on bean, fungicide tests for control of, 3; *Capsicum*, 67; *Coffea*, 71; *Lycopersicon*, 84; *Mentha* spp., 146; *Nicotiana*, 88; onion, 4; *Oryza*, 88; *Panicum*, 89; *Paspalum*, 91; potato, fungicide tests for control of, 114; soil treatment for control of, 139, 140; *Solanum*, 99
- brown rot, of *Gladiolus*, fungicide tests for control of, 15
- *heterosporum* f. *aleuritidis*, on *Aleurites fordii*, 192
- *lateritium*, on *Aleurites montana*, 192
- *moniliforme*, 96, 102
- *oxysporum* var. *cubense*, 87
- --- f. *dianthi*, soil treatment for control of, 140
- --- f. *niveum*, on watermelon, 160
- root rot, of bean, 161; *Dianthus caryophyllus*, fungicide tests for control of, 16; peas, 161
- *roseum*, on *Mentha* spp., 146
- *sambucinum*, on potato, 162
- *vasinfectum*, 79
- wilt and branch rot, of *Dianthus caryophyllus*, 16
- Fusicladium* sp., on *Hevea*, 80; *Randia*, 95
- Ganoderma* sp., on *Sassafras albidum*, 149
- *lucidum*, on *Aleurites moluccana*, 192
- *pseudoferreum*, on *Aleurites montana*, 192
- Gardenia jasminoides*: *Cuscuta japonica* in China, 174; root knot nematode, 156
- Geographical isolation of some viral diseases, 37
- Georgia, 7, 12, 23, 31, 48, 119, 145, 150, 152, 154, 156, 158, 207, 209, 211
- Germany, 44
- Gibberella* sp., on *Sorghum*, 100
- *saubinetii*, 84, 97, 102
- Gladiolus*: abnormalities, 156; bacterial scab, fungicide tests for control of, 15; cucumber-mosaic virus, 37; *Fusarium* brown rot, fungicide tests for control of, 15; *Sclero-* (*Gladiolus*) *tinia* dry rot, fungicide tests for control of, 15; smut, 156
- Gloeocercospora sorghi*, 100
- Gloeodes pomigena*, 29, 128, 129
- Gloeosporium* sp., on *Aleurites montana*, 192; *Rosa*, 96; *Stanhopea*, 100
- *aleuriticum*, on *Aleurites* spp., 192
- *fructigenum*, 84
- *mangiferae*, 85
- *melongenae*, 99
- *musarum*, 87
- *perennans* fruit rot, of apple, fungicide tests for control of, 130
- Glomerella* sp., on *Passiflora*, 91
- *cingulata*, 10, 29, 85, 129, 130, 145, 154; on *Aleurites* spp., 192
- --- var. *aleuritidis*, on *Aleurites montana*, 193
- Glycine* max: non-fungus diseases in China, 174
- Gnomonia veneta*, 18
- Gold Coast, 199
- Gomezina araguata*, 72
- Gossypium* spp.: non-fungus diseases in China, 174
- Gramineae: dollar spot, fungicide tests for control of, 19, 118
- Grape: black rot, fungicide tests for control of, 31, 134; degeneration (virus), 155; downy mildew, fungicide tests for control of, 134; Pierce's disease (virus), 39, 47, 155
- Graphiola phoenicis*, 92
- Graphocephala versuta*, 48
- Gray leaf spot, of tomato, 160
- Gray mold, of alfalfa, 144
- Gray mold rot, of strawberry, 153; fungicide tests for control of, 135
- Guignardia bidwellii*, 31, 104, 134
- Gymnosporangium juniperi-virginianae*, fungicide tests for control of, 28
- Hawaii, 7, 152, 199
- Hawaiian Islands, 38
- Hedera helix*: scab, 1st rept. from Md., 146
- Helianthus annuus*: non-fungus diseases in China, 175
- Helleborus niger*: black leaf spot, 1st rept. from Calif., N. J., and Ohio, 146
- Helminthosporium* sp., on *Cynodon*, 73; *Eleusine*, 75; *Hordeum*, 80; *Hyparrhenia*, 81; *Melinis*, 85; *Oryza*, 88; *Paspalum*, 90, 91; *Phleum*, 92; *Saccharum*, 96; *Sorghum*, 100; *Sporobolus*, 100; *Tri-chachne*, 102; *Triticum*, 102
- *guianensis*, 82, 101
- *ocellum*, 96
- *oryzae*, 88
- *papulosum*, 128, 129
- *ravenelli*, 100

- (*Helminthosporium*) *sativum*, 80, 96, 97, 102  
 --- *tritici-vulgaris*, 150  
 --- *turcicum*, 76, 100, 105, 111, 114, 151  
*Helotium sulphurinum*, on *Aleurites* sp., 193  
*Hemileia jahni*, 75  
*Hemiptelea davidi*: *Cuscuta japonica* in China, 175  
 Hemiptera, 48  
*Hendersonia* sp., on *Oryza*, 88  
*Heterodera* sp., on tomato, 157  
 --- *rostochiensis*, 162; on tobacco, 157  
 --- *schachtii*, on sugar beet, 157  
*Hibiscus* spp.: non-fungus diseases in China, 175  
 --- *cannabinus*: disease and insect problems in Fla., 157; powdery mildew, 1st rept. this country (Fla.), 148  
 --- *rosa-sinensis* and *H. schizopetalus*: foot rot, new hosts (La.), 148; leaf and stem blight, new hosts (La.), 148  
*Homalodisca triquetra*, 48  
 Homoptera, 48  
 Honey dew melon: virus infection (seed transmission and proximity to aphid-breeding areas), 159  
*Hordeum vulgare*: *Xanthomonas translucens* in China, 175  
 Host index to non-fungus diseases, of plants in China. Suppl. 215, pp. 165-186  
 Host index of plant pathogens of Venezuela. Suppl. 212, pp. 59-106  
*Humulus scandens*: *Cuscuta japonica* in China, 175  
*Hyalasterina kerni*, 84  
*Hypocrella caulinum*, 66, 103  
*Hyospilina ospinae*, 101  
*Hypoxyylon serpens*, 94  
 Idaho, 45, 161, 162  
*Ilex* spp.: tar spot, 156  
 --- *cornuta* var. *burfordi*: *Phyllosticta* leaf spot, new host, (Ga.), 149  
 Illinois, 4, 6, 7, 10, 23, 27, 48, 109, 119, 153, 159, 205, 207  
*Imperata cylindrica*: *Cuscuta japonica* in China, 175  
 India, 189, 198  
 Indiana, 119, 207, 209  
 Indochina, 189, 199  
 Indonesia, 189, 199  
 Insect surveys, role of, in virus-vector research, 35  
 Insect-transmitted plant diseases: a symposium. Suppl. 211, pp. 34-55  
 Insect vector-plant virus relationships, 51  
 Iowa, 23, 30, 119, 205, 208, 209  
*Ipomoea* spp.: non-fungus diseases in China, 175  
*Irene plegerae*, 105  
*(Irene) sororcula*, 76  
*Irenina arachnoides*, 72  
 --- *glabroides*, 100  
 --- *hyptidicola*, 81  
 --- *mangostana*, 79  
 --- *pittieri*, 75  
 --- *triloba*, 93  
*Irenopsis anastomosans*, 81  
 --- *bignoniacearum*, 63  
 --- *comocladiae*, 100  
 --- *cupaniae*, 73  
 --- *guianensis*, 101  
 --- *molleriana*, 60  
 --- *tortuosa*, 93  
 --- *trompilliana*, 86  
 Iris: leaf spot, fungicide tests for control of, 18, 118  
*Isariopsis griseola*, 92  
 Japan, 36, 189, 199  
*Juglans hindsii*: black-line (non-par.), 155  
 --- *regia*: bacterial blight, in China 175, fungicide tests for control of 31, 136; black-line (non-par.), 155  
 Kansas, 23, 119, 150, 159  
*Karschia stygia*, on *Aleurites* sp., 193  
 --- *taveliana*, on *Aleurites* sp., 193  
 Kenaf, see *Hibiscus*  
 Kentucky, 40, 48, 158, 208, 209, 211  
*Koelreuteria integrifoliola*: *Cuscuta japonica* in China, 175  
*Kretzschmaria scruposa*, on *Aleurites* sp., 193  
 Labrella *coryli*, on *Corylus* sp., 148  
*Lachnea scutellata*, on *Aleurites moluccana*, 193  
*Lactuca sativa*: non-fungus diseases in China, 175  
*Lagenaria siceraria*: non-fungus diseases in China, 176  
*Lamium amplexicaule*, 14  
 Late blight, of celery, fungicide tests for control of, 4, 111; potato, 144, 162, 203, fungicide tests for control of, 5, 113, 114; tomato, 144, 160, 203, fungicide tests for control of, 8, 116  
*Lathyrus odoratus*: virus disease in China, 176  
 Leaf blight, of cantaloupe, 144; corn, 114, 151; cucurbits, 160  
 Leaf blister, of *Quercus* spp., 159  
 Leaf curl, of peach, 144, 154  
 Leaf scorch, of strawberry, fungicide tests for control of, 135  
 Leaf spot, of bean, 161; cherry, fungicide tests for control of, 30; *Chrysanthemum*, fungicide tests for control of, 17, 118; Iris, fungicide tests for con-



- (Leaf spot) trol of, 18, 118; lima bean, 161; okra, 161; sour cherry, 133, 153; strawberry, fungicide tests for control of, 31, 135; watermelon, 160
- Leaf and stem blights, of *Hibiscus* spp., 148
- Lembosia* sp., on *Miconia*, 86
- *miconicola*, 86
- Leprosis, of *Citrus* spp., 152
- Leptosphaeria* sp., on *Heliconia*, 80; *Oryza*, 88
- *jahnii*, 76
- *sacchari*, 96
- Leptothyrium pomi*, 128
- Lettuce; damping-off, fungicide tests for control of, 14
- mosaic (virus), 37, 160
- Leveillula taurica* f. *hibisci*, 148
- Libocedrus decurrens*: root rot, new host (Calif.), 149
- Ligniera vascularum*, 96
- Ligustrum* spp.: *Cuscuta japonica* in China, 176
- Lilium auratum*: bulb rot, (bulbs from Japan) Calif., 148
- *longiflorum*: cucumber-mosaic virus, 37
- Linum usitatissimum*: *Cuscuta epilinum* in China, 176
- Liquidambar formosana*: non-fungus diseases in China, 176
- *styraciflua*: new disease (undet.), Md., 149
- Litchi chinensis*: non-fungus diseases in China, 176
- Lithocarpus uvariifolia*: *Cephaleuros virescens* in China, 176
- Lophodermium aleurites*, on *Aleurites moluccana*, 193
- Louisiana*, 10, 109, 146, 148, 151, 152, 205, 208
- Luffa acutangula*: *Pseudomonas lachrymans* in China, 176
- Lycopersicon esculentum*: non-fungus diseases in China, 176
- Lycoris radiata*: *Cuscuta japonica* in China, 177
- Macrophoma* sp., on *Aleurites cordata*, 193
- *fici*, on *Ficus carica*, 145
- Macrophomina phaseoli*, 79, 88, 92, 103
- Macropsis trimaculata*, 47, 50
- Macrosporium* sp., on *Solanum*, 99; *Trifolium*, 102
- *cucumerinum*, 11, 111
- leaf spot, of cantaloupe, fungicide tests for control of, 11, 111
- *medicaginis*, 85
- Madagascar, 189
- Magnolia grandiflora*: *Cephaleuros virescens* in China, 177
- Maine, 23, 27, 119, 155, 205
- Mainsia cundinamarcensis*, 96
- (*Mainsia*) *lagerheimii*, 96
- *mayorii*, 96
- *variabilis*, 96
- Maize, see corn
- Malaya, 199
- Mallotus repandus*: *Cuscuta japonica* in China, 177
- Malus sylvestris*: non-fungus diseases in China, 177
- Malva sylvestris*: *Cuscuta japonica* in China, 177
- Manganese ethylene bisdithiocarbamate, 161
- sulfate, 207, 211
- Mangifera indica*: non-fungus diseases in China, 177
- Manitoba, 203
- Manzate, 207, 208
- Marasmius* sp., 101; on *Aleurites cordata*, 193
- Marmor *cucumeris*, 105
- --- var. *phaseoli*, 92
- *dipsacum*, 157
- *solani*, 99
- *tabaci* var. *vulgare*, 84, 88
- Marssonina thomasiana*, 145, 148
- Maryland, 8 ff., 23, 27, 48, 137, 144 ff., 152, 158 ff., 208, 209
- Massachusetts, 23, 27, 119, 137
- Medicago sativa*: mosaic (virus) in China, 177
- Melampsora aleuritidis*, on *Aleurites* sp., 193
- *euphorbiae-geniculatae*, 77
- Melanconium sacchari*, 96
- Melanoplus differentialis*, 53
- Melanose, of *Citrus grandis*, fungicide tests for control of, 135
- Melilotus* spp.: non-fungus diseases in China, 177
- Meliola* sp., on *annona*, 62; *Byrsonima*, 66; *Cecropia*, 68; *Clusia*, 70; *Croton*, 72; *Duranta*, 75; *Guadua*, 79; *Gurania*, 79; *Iris*, 82; *Miconia*, 86; *Mimosa*, 86; *Monnina*, 87; *Olyra*, 88; *Persea*, 91; *Psychotria* sp., 94; *Rapanea*, 95; *Salvia*, 97; *Sida*, 98; *Solanum*, 99; *Tageetes*, 101; *Talisia*, 101; *Verbesina*, 103; *Wedelia*, 104
- *acalyphidis*, 60
- *ambigua*, 83
- *banarae*, 63
- *bicornis*, 74
- *calostroma*, 96
- *caseariae*, 68
- *clavulata*, 82, 85
- *coccolobis*, 70
- *crescentiae*, 72
- *cybianthis*, 73
- *denticulata*, 74
- *desmodii*, 74
- *fagaricola*, 77

- (*Meliola*) *glabroides*, 69  
 --- *gymnoloniae*, 81  
 --- *hariotula*, 81  
 --- *jahnii*, 62  
 --- *lantanae*, 83, 84  
 --- *lasiacidis*, 83  
 --- *lonchocarpicola*, 84  
 --- *longispora*, 72  
 --- *makilingiana*, 98  
 --- *malacotricha*, 77  
 --- *mangiferae*, 85  
 --- *marantae*, 63  
 --- *mittellae*, 95, 96  
 --- *mitragybes*, 89  
 --- *panici*, 69  
 --- *paullinae*, 68  
 --- *perexigua*, 64  
 --- *pithecolobii*, 93  
 --- *praetervisa*, 73  
 --- *psidii*, 94  
 --- *psychotriae*, 65, 69, 78, 95, 100  
 --- *sapindacearum*, 85, 97  
 --- *serjaniae*, 98  
 --- *tabernaemontanae*, 101  
 --- *trujillensis*, 97  
 --- *venezuelana*, 93  
 --- *visci*, 92  
 --- *wardii*, 101  
 --- *weigeltii*, 63  
*Meloidogyne* sp(p.), 151, 156; *Brassica*, 65;  
*Dahlia*, 73; *Dianthus*, 74; *Glycine*, 78;  
*Lycopersicon*, 84; *Nicotiana*, 88; *Pisum*  
*arvense*, 151; *Solanum*, 99; tobacco, 157  
 --- hapla, on *Gardenia* and peanut, 156; potato,  
 147  
*Mentha* spp.: *Fusarium* sp., 1st rept. from  
 Oregon, 146; *Fusarium roseum*, 1st rept.  
 from Oregon, 146; powdery mildew, 1st  
 rept. from Oregon, 146; *Pythium* sp., 1st  
 rept. from Oregon, 146; *Rhizoctonia solani*,  
 1st rept. from Oregon, 146  
 --- *canadensis* and *M. citrata*: anthracnose,  
 1st rept. from Md., 146  
*Metasphaeria* sp., on *Heliconia*, 80  
 --- *abortiva*, 71  
*Methyl bromide*, 162  
 Mexico, 151  
*Michelia fuscata*: *Cephaleuros virescens* in  
 China, 177  
 Michigan 3, 5, 11, 23, 28, 119, 145, 146, 153,  
 155, 159, 205, 208  
*Micropeltis clava*, 62  
*Microporus xanthopus*, on *Aleurites moluccana*,  
 193  
*Microsiphum rosae*, 157  
*Microsphaera euphorbiae*, 77  
*Microstroma* sp., on peach, 147  
 --- *pithecolobii*, 97  
*Microthyrium acnisti*, 60  
*Milesia australis*, 64  
 Minnesota, 6, 145, 150, 205, 209  
*Mirandia fourcroyae*, 78  
*Miscanthus* spp.: non-fungus diseases in  
 China, 177  
 Mississippi, 7, 8, 150, 159, 205, 208  
 Missouri, 8, 10, 11, 23, 28, 29, 31, 119  
*Mollisia griseleae*, 79  
 --- *petiolorum*, on *Aleurites* sp., 193  
*Monilia roreri*, 101  
*Monilinia fructicola*, 29, 61, 131, 132, 154  
 --- *laxa*, 31, 132  
 Montana, 161  
*Morus alba*: non-fungus diseases in China,  
 177  
 Muskmelon, see canteloupe  
*Mycena citricolor*, 71, 75, 76  
*Mycosphaerella* sp., on *Canavalia*, 67;  
*Crotalaria*, 72; *Gossypium*, 79; *Phaseo-*  
*lus*, 92; *Vigna*, 104  
 --- *aleuritidis*, on *Aleurites* spp., 193  
 --- *areola*, 79  
 --- *discophora*, 75  
 --- *fragariae*, 31, 78, 135  
 --- *maydis*, 102  
 --- *rosaecola*, 96  
 --- *rosigena*, 96  
 --- *sacchari*, 96  
 --- *samaneae*, 97  
 --- *venezuelensis*, 67  
*Mycosyrinx* sp., on *Cissus erosa*, 69; *C.*  
*sicyoides*, 69  
 --- *cissi*, 69  
*Mycovellosiella cajani*, 66  
*Myriocoprum guiscafrei*, 60  
*Myriogenospora bresadolleana*, 90  
 --- *paspali*, 90  
*Myrtus compacta*: root rot, new host  
 (Calif.), 149  
*Myzus persicae*, 39, 47 157  
 Nabam, 207, 208, 211  
 Nailhead leaf spot, of tomato, fungicide  
 tests for control of, 116  
 Narcissus: basal rot (*Fusarium*), fungicide  
 tests for control of, 18; root-lesion  
 nematode, *Pratylenchus* sp. assoc.,  
 156  
 Nebraska, 157, 206  
*Nectria* sp., on *Serjania*, 97; *Theobroma*,  
 101  
 --- *galligena*, 35  
*Nelumbo nucifera*: *Cuscuta japonica* in  
 China, 178  
 Nematodes, see also *Aphelenchoides*,  
*Ditylenchus*, *Dolichodorus*, *Heterodera*,  
*Meloidogyne*, *Pratylenchus*, *Tylenchus*;  
 soil treatments for control of, 12  
*Neofabraea perennans*, 35  
*Nephotettix apicalis*, 36, 52  
 New Brunswick, 204, 207  
 New Caledonia, 199  
 New disease (undet.) of *Liquidambar*

- (New disease) *styraciflua*, 149  
 New distribution: disease records by States, 144  
 New Hampshire, 23, 28, 119, 206, 208  
 New hosts: diseases found on, 147  
 New Jersey, 6, 30, 146, 155, 160, 208  
 New or unusual records and outstanding features of plant disease development in the U. S. in 1951. Suppl. 214: 142-162  
 New York, 4, 7, 12, 23, 119, 144, 145, 148, 149, 153, 155, 206  
*Nicotiana tabacum*: non-fungus diseases in China, 178  
*Nigrospora oryzae*, 105, 144  
*Nipholepis filicina*, 75  
 North Carolina, 8, 10, 23, 29, 31, 119, 144, 146, 149, 152, 156, 159, 161, 203, 206, 208, 209, 210, 211  
 North Dakota, 209  
 North and South America, 199  
 Northern leaf blight, of corn, fungicide tests for control of, 111  
 Nova Scotia, 8, 28, 119, 204  
 Nyasaland, 189, 199
- Oats: crown rust, 150; downy mildew, 150; fungicides tested for control of smuts, 150; "red leaf", 150; whiteheads in Minn., 150  
 Ohio, 3 ff., 9, 23, 28, 110, 119, 146, 161, 208, 210
- Oidium* sp. on *Alstoemeria*, 61; *Ambrosia*, 61; *Begonia*, 64; *Bidens*, 64; *Bixa*, 64; *Bouchea*, 65; *Capsicum*, 67; *Coreopsis*, 71; *Crotalaria*, 72; *Dahlia*, 73; *Desmodium*, 74; *Euphorbia*, 77; *Ficus*, 77; *Hieracium*, 80; *Impatiens*, 81; *Lagerstroemia*, 83; *Mimosa*, 86; *Parthenium* sp., 90; *Persea*, 91; *Rosa*, 96; *Sapindus*, 97; *Sclerocarpus*, 97; *Solanum*, 99; *Spathodea*, 100; *Tabebuia*, 101; *Triplaris*, 102; *Xanthium*, 104; *Zinnia*, 105
- Oklahoma, 160  
 Okra: leaf spot, 161  
*Olea europaea*: bacterial olive-knot disease, 35; nematode in Calif. similar to citrus-root nematode, 153  
*Olpidium uredinis*, 95  
*Omphalia flavida*, 75, 76  
*Oncometopia undata*, 48  
 Onion: blast (cause indefinite), 159, fungicide tests for control of, 4; downy mildew, 159, fungicide tests for control of, 4, 112; *Fusarium* spp., 4; pink root, fungicide tests for control of, 4; purple blotch, fungicide tests for control of, 4, 112; smut, fungicide tests for control of, 4; yellow dwarf (virus), 52  
 Ontario, 23, 29, 119, 204, 207, 209  
*Ophiobolus* sp., on *Oryza*, 88  
*Ophiodothella tithoniae*, 102  
*Ophionectria* sp., on *Theobroma*, 101  
 Orchidaceae: foliar nematode, 156  
 Oregon, 23, 30, 31, 119, 146, 153, 155, 156  
 Ornamental plants, fungicide evaluation studies, 15  
 Orthocide 406, 153, 155  
*Oryza sativa*: non-fungus diseases in China, 178  
*Ovularia* sp., on *Argemone*, 63; *Tabernaemontana*, 101  
*Ovulinia azaleae*, 18  
*Oxalis martiana*: *Tylenchulus* semi-penetrans in China, 178
- Panicum miliaceum*: *Pseudomonas panicimiliacei* in China, 178  
*Parapeltella portoricensis*, 105  
*Parasterina miconiae*, 86  
 --- *mirabilis*, 76  
 --- *montagnei*, 86  
 --- *venezuelana*, 86  
 Parathion, 156  
*Parodiella paraguayensis*, 74  
 --- *perisporioides*, 74, 81  
*Parodiopsis stevensii*, 81  
 Parzate, 208, 210
- Peach: anthracnose, 154, 1st rept. from Mich. and W. Va., 145; bacterial spot, fungicide tests for control of, 30, 131; black tip (? chemical injury), 154; blossom blight, fungicide tests for control of, 132; brown rot, 154, fungicide tests for control of, 131, 132; leaf curl, 144, 154; little peach (virus), 43; *Microstroma* sp., new host in S.C., 147; mosaic (virus), 43; phony peach (virus), 43, 47, 154; powdery mildew, fungicide tests for control of, 131; ringspot (virus), 44; rosette (virus), 44, 154; scab, fungicide tests for control of, 132; Western X-disease (virus), 154; yellow leaf roll (virus), 154; yellows virus, 37, 38, 39, 43, 50
- Peanut: root knot nematode, 156; rosette (virus), 38, 39; seed and soil-borne diseases, fungicide tests for control of, 113  
 Pear: *Fabraea* leaf spot, fungicide tests for control of, 131; fire blight, 35, fungicide tests for control of, 131; scab, fungicide tests for control of, 30
- Peas (see also *Pisum*): damping-off, fungicide tests for control of, 5; *Fusarium* root rot, 161; seed decay, fungicide tests for control of, 5; seed decay and damping-off, 113; Wisconsin pea stunt (virus), 161
- Pecan: see *Carya*  
*Pediascus cephaelidis*, 68  
*Pelargonium* sp.: *Verticillium* wilt, 1st

- (*Pelargonium* sp.) rept. from Oregon, 146  
*Pellicularia filamentosa*, 5  
 --- *koleroga*, 71  
*Peltaster guraniae*, 79  
*Penicillium* sp., on *Citrus*, 70  
 --- *italicum*, 70  
 Pennsylvania, 23, 28, 119, 159, 160, 162, 206, 208, 210, 211, 212  
 Pepper: alfalfa-mosaic virus, 41; anthracnose, fungicide tests for control of, 10; blue mold, 211  
 Perennial canker, of apple, 35  
*Periconia guazumae*, 79  
 --- *toroi*, 84  
*Peridermium appalachianum*, on *Pinus virginiana*, 149  
*Perilla ocimoides*: *Cuscuta japonica* in China, 178  
*Peronospora destructor*, 4, 60, 112, 159  
 --- *effusa*, 115  
 --- *parasitica*, 3, 65  
 --- *sparsa*, 156  
 --- *tabacina*, 19, 115, 157, 203, 211  
*Persea americana*: *Cephaleuros virescens* in China, 178; Fuerte fruit rot, fungicide tests for control of, 135  
 Peru, 189  
*Pestalotia* sp(p.), on *Aleurites* spp., 194; *Caryota*, 67; *Eriobotrya*, 76; *Mammea*, 85; *Musa*, 87  
 --- *conigena*, on *Aleurites cordata*, 194  
 --- *dichaeta*, on *Aleurites* spp., 194  
 --- *japonica*, on *Aleurites montana*, 194  
*Pestalotiopsis disseminata*, on *Aleurites montana*, 194  
 --- *versicolor*, on *Aleurites*, 194  
 Petal blight, of *Rhododendron*, fungicide tests for control of, 18  
*Petroselinum crispum*: *Tylenchulus semipenetrans* in China, 178  
*Petunia violacea*: mosaic (virus) in China, 178  
*Peucedanum decursivum*: *Cuscuta japonica* in China, 179  
*Peziotrichum saccardium*, on *Aleurites fordii*, 194  
*Phacidium curtisii*, 156  
*Phaeodimeriella tachirensis*, 63  
*Phakopsora aeschynomenis*, 60  
 --- *antiquensis*, 60  
 --- *cherimolia*, 62  
 --- *crotalariae*, 72  
 --- *crotonicola*, 72  
 --- *crotonis*, 72  
 --- *jatrophiicola*, 82  
 --- *randiae*, 95  
 --- *tecta*, 71  
 --- *venezuelana*, 98  
 --- *vignae*, 75, 92  
*Phaseolus* spp.: non-fungus diseases in China, 179  
 Philippine Islands, 189, 199  
*Phoma* sp., on *Aleurites fordii*, 194; *Zea*, 105  
*Phoma destructiva*, 10  
 --- *insidiosa*, 100  
 --- leaf spot, of tomato, fungicide tests for control of, 10  
 --- *terrestris*, 4  
*Phomatospora oyedaeae*, 89  
*Phomopsis* sp., on *Aleurites* sp., 194  
 --- *citri*, 70, 99, 135  
 --- *oxalina*, 89  
 --- *vexans*, 99  
*Phoradendron crassifolium*, 97  
*Phragmidium* sp., on *Rosa*, 96  
 --- *disciflorum*, 96  
 --- *subcorticinum*, 96  
*Phthirusa theobromae*, 101  
 Phygon, 207  
 Phygon XL, 156, 207  
*Phyllachora* sp., on *Antheophora*, 62; *Aristida*, 63; *Axonopus*, 63; *Bauhinia*, 64; *Brunellia*, 66; *Cassia*, 68; *Ceiba*, 68; *Cestrum*, 68; *Chrysophyllum*, 69; *Cordia*, 71; *Croton*, 72; *Dioscorea*, 74; *Duranta*, 75; *Eupatorium*, 76; *Galactia*, 78; *Leptochloa*, 83; *Machaerium*, 84; *Metastelma*, 86; *Miconia*, 86; *Mimosa*, 86; *Monnina*, 87; *Myrica*, 87; *Ocotea*, 88; *Paspalum*, 90; *Rajania*, 95; *Roupala*, 96; *Rourea* sp., 96; *Securidaca*, 97; *Serjania*, 97; *Setaria*, 98; *Trachypogon*, 102; *Vismia*, 104; *Vitex* sp., 104  
 --- *acaciae*, 60  
 --- *aequatoriensis*, 87  
 --- *alamoi*, 98  
 --- *ambrosiae*, 61  
 --- *anacardiarum*, 61  
 --- *andropogonis*, 62  
 --- *antheophorae*, 62  
 --- *antioquensis*, 81  
 --- *applanata*, 105  
 --- *arthrostylidi*, 63  
 --- *balansae*, 68  
 --- *brevifolia*, 62  
 --- *buchenaviae*, 66  
 --- *chaetochloae*, 98  
 --- *chloridicola*, 69  
 --- *coutareae*, 72  
 --- *cucurbitacearum*, 79  
 --- *dolgei*, 75  
 --- *engleri*, 62  
 --- *eragrostidis*, 76  
 --- *fluminensis*, 99  
 --- *fusicarpa*, 75  
 --- *galactiae*, 68, 78  
 --- *galavisi*, 97  
 --- *gracillima*, 78  
 --- *gratissima*, 91  
 --- *guadauae*, 79  
 --- *guianensis*, 91  
 --- *insueta*, 97, 98

- (Phyllachora) insularis, 102  
 --- ischaemicola, 82  
 --- lasiacis, 83  
 --- leonardi, 90  
 --- leptochloae, 83  
 --- lunulata, on Croton, 72  
 --- luteomaculata, 62  
 --- machaeriicola, 84  
 --- maculicola, 91  
 --- masinii, 66  
 --- mayepeae, 88  
 --- meridensis, 61  
 --- microspora, 90  
 --- microtheles, 69  
 --- mirandina, 71  
 --- molinae, 90  
 --- oyedaeae, 89  
 --- panamensis, 64  
 --- panici-olivacei, 89  
 --- pappophori, 89  
 --- paramo-nigra, 102  
 --- paritii-tiliacei, 89  
 --- paspalicola, 90  
 --- phari-latifolii, 92  
 --- phaseoli, 92  
 --- pipericola, 93  
 --- portoricensis, 78  
 --- puncta, 88, 89  
 --- sauranicola, 97  
 --- scleriae, 97  
 --- securidacae, 97  
 --- serjanicola, 97, 98  
 --- sphaerosperma, 68  
 --- tachirensis, 76  
 --- toroi, 69  
 --- tragiae, 60, 72  
 --- tropicalis, 94  
 --- trujillensis, 77  
 --- ulei, 74  
 --- verbesinae, 103  
 --- vismiae, 104  
 --- winteri, 105
- Phyllactinia sp., on Crescentia, 72
- Phyllostachys bambusoides: Cuscuta japonica in China, 179
- Phyllosticta sp., on Aleurites spp., 194;  
 Amaranthus, 61; Anacardium, 61;  
 Antirrhinum, 62; Coumarouna, 71;  
 Crescentia, 72; Eriobotrya, 76; Hibiscus, 80; Ipomoea, 82; Luehea, 84;  
 Manihot, 85; Oxalis, 89; Pachira, 89;  
 Peperomia, 91; Pithecellobium, 93;  
 Psidium, 94  
 --- aleuritidis, on Aleurites fordii, 194  
 --- batatas, 82  
 --- capparidis, 67  
 --- carica-papaya, 67  
 --- eriobotryae, 76  
 --- erythrinicola, 76  
 --- haynaldi, on Ilex cornuta var. burfordi, 149
- (Phyllosticta) ibarrae, 85  
 --- lasadjuntas, 76  
 --- microspora, on Aleurites spp., 194  
 --- pithecolobii, 93  
 --- plantaginella, 93  
 --- sojaecola, 152
- Phymatotrichum omnivorum, on Aleurites fordii, 194
- Physalospora hymenachnei, 80  
 --- obtusa, 29  
 --- rhodina, on Aleurites spp., 195
- Physoderma zeae-maydis, 105
- Physopella macluriae, 69  
 --- vitis, 104
- Phytophthora sp., on Capsicum, 67; Nicotiana, 88; Sesamum, 98  
 --- brown rot, of Citrus limon, fungicide tests for control of, 31  
 --- cactorum, 145  
 --- --- var. applanata, 148  
 --- capsici, 160  
 --- cinnamomi, 145 ff., 152; on Aleurites fordii, 195; Pinus spp., 158  
 --- citrophthora, 31, 136  
 --- drechsleri, 157  
 --- fragariae, 153  
 --- infestans, 5, 8, 84, 99, 113, 114, 116, 144, 160, 162, 203  
 --- palmivora, 101, 148; on Aleurites spp., 195  
 --- parasitica, 70, 99  
 --- --- var. nicotianae, 88, 158  
 --- phaseoli, 35, 212
- Pieris rapae, 53
- Pineapple: root and heart rot, 152
- Pink root, of onion, fungicide tests for control of, 4
- Pinus spp.: Phytophthora root disease, 158; root rot, 1st rept. from Calif., 147  
 --- echinata: damping-off, 158  
 --- taeda: damping-off, 158  
 --- virginiana: stem rust (Peridermium appalachianum) n. sp. in N. C., Tenn., Va., and W. Va., 149
- Piricularia grisea, 74, 75  
 --- oryzae, 88
- Pisum arvense: root knot, 151  
 --- sativum: non-fungus diseases in China, 179
- Pittierodotthis miconiae, 86
- Placoasterina antioquiensis, 86
- Plant disease warning service in 1952, Suppl. 217, pp. 203-212
- Plasmidiophora brassicae, 147
- Plasmopara venezuelanae, 70  
 --- viticola, 104, 134
- Platanus racemosa: anthracnose, fungicide tests for control of, 18
- Pleonectria pseudotrichia, on Aleurites moluccana, 195
- Pleospora doidigeae, 92, 100

- Plum, wild, see *Prunus angustifolia*
- Podoplaconema jahnhii*, 94
- Podosphaera leucotricha*, 29, 131
- *oxyacanthae*, 131
- Polygonum* spp.: non-fungus diseases in China, 179
- Polyporus aleuritidis*, on *Aleurites* sp., 195
- *asperulus*, on *Aleurites* sp., 195
- *gilvus*, on *Aleurites*, 195
- *meyenii*, on *Aleurites moluccana*, 195
- *vellereus*, on *Aleurites moluccana*, 195
- Polyrhizon capparidis*, 67
- Polystigma pusillum*, 61
- Polystomella costaricensis*, 100
- Populus* spp.: non-fungus diseases in China, 179
- Potato: alfalfa-mosaic virus, 41; early blight, 206, 207, fungicide tests for control of, 5, 113, 114; *Fusarium* sp. (seed piece rot) fungicide tests for control of, 114; *Fusarium* seed piece decay, 162; late blight, 144, 162, 203, fungicide tests for control of, 5, 113, 114; *Meloidogyne hapla*, 1st rept. from Md., 147; mottle (virus), 40; ring rot, 162; rot nematode, 162; rugose mosaic (virus), 162; *Verticillium* wilt, 162; wart, 162; X virus, 53
- Powdery mildew, of apple, fungicide tests for control of, 29, 131; cucumber, fungicide tests for control of, 112; *Hibiscus cannabinus*, 148; *Mentha* spp., 146; peach, fungicide tests for control of, 131; *Rosa*, fungicide tests for control of, 16, 118; *Rubus flagellaris* var. *ruribaccus*, 154
- Pratylenchus* sp., on *Begonia* sp., 155; soil treatment for control of, 138
- *leiocephalus*, on cotton, 146
- *pratensis*, 88
- Primula sinensis*: mosaic (virus) in China, 179
- Prince Edward Island, 6, 204
- Pringsheimia* sp., on *Solanum*, 99
- Prosopodium amphiphonii*, 61
- *anomalum*, 64
- *appendiculatum*, 101
- *araguatum*, 101
- *concinnum*, 101
- *cumminsii*, 61
- *depallens*, 61
- *tuberculatum*, 83
- *venezuelanum*, 101
- Prunus* spp.: non-fungus diseases in China, 180
- *angustifolia*: phony peach (virus), 154
- Pseudomonas aleuritidis*, on *Aleurites fordii*, 195
- *glycinea*, 78, 152
- *lachrymans*, 72
- (*Pseudomonas*) *marginata*, 15
- *medicaginis* var. *phaseolicola*, 161
- *savastanoi*, 35
- *solanacearum* (see also *Xanthomonas*) 87
- *tabaci*, 152
- Pseudoparodiella vernoniae*, 103
- Pseudoperonospora cubensis*, 11, 69, 72, 73, 112, 160, 203
- Pseudopeziza medicaginis*, 85
- Pseudotsuga taxifolia*: witches'-broom (? virus), 1st rept. in North America, (Wash.), 149
- Psidium guajava*: non-fungus diseases in China, 180
- Pteridium aquilinum*: *Cuscuta japonica* in China, 180
- Pterocarya stenoptera*: non-fungus diseases in China, 180
- Puccinia* sp(p.), on *Andropogon*, 62; *Asclepias*, 63; *Blechnum*, 64; *Bromus*, 66; *Calotropis*, 67; *Cassia*, 68; *Cenchrus*, 68; *Centrosema*, 68; cereals, 150; *Clitoria*, 70; *Commelina*, 71; *Croton*, 72; *Cyperus*, 73; *Dalea*, 73; *Desmodium*, 74; *Dolichos*, 75; *Eragrostis*, 76; *Erythrina*, 76; *Euphorbia*, 77; *Evolvulus*, 77; *Ficus*, 77; *Heliocarpus*, 80; *Hydrocotyle*, 80; *Hyptis*, 81; *Ionoxalis*, 81; *Ipomoea*, 82; *Lantana*, 83; *Leonotis*, 83; *Lippia*, 84; *Oyedaea*, 89; *Panicum*, 89; *Parthenium*, 90; *Paspalum*, 90; *Pfaffia*, 92; *Plumieria*, 93; *Rubus*, 96; *Rudgea*, 96; *Serjania*, 97; *Sida*, 98; *Smi-lax*, 98; *Tricholaena*, 102; *Tripsacum*, 102; *Urena*, 103; *Vernonia*, 103; *Wis-sadula*, 104
- *abrepta*, 73
- *acanthospermi*, 60
- *acnisti*, 60
- *aegopogonis*, 77
- *albicera*, 97
- *ancizari*, 63
- *antirrhini*, 17, 118
- *arachidis*, 62
- *araguata*, 90
- *arechavaletae*, 67, 91, 103
- *arthurella*, 83
- *arthuriana*, 103
- *atra*, 91, 102
- *barranquillae*, 100
- *bimbergi*, 80
- *bomareae*, 65
- *caeomatiformis*, 63
- *cameliae*, 98
- *canaliculata*, 73
- *cannae*, 66, 67
- *caracasana*, 104
- *carthami*, 157
- *cenchri*, 68
- *chaetii*, 69

- (*Puccinia*) *chaetochloae*, 98  
 --- *claviformis*, 99  
 --- *cognata*, 103  
 --- *concrescens*, 67, 78  
 --- *conoclinii*, 60  
 --- *conturbata*, 97  
 --- *coronata*, 63  
 --- --- *var. avenae*, 150  
 --- *crassipes*, 82  
 --- *cynodontis*, 73  
 --- *cyperi*, 73  
 --- *cyperi-tagetiformis*, 73  
 --- *deformata*, 88  
 --- *dichronemae*, 74  
 --- *dolosa*, 90  
 --- *elytrariae*, 75  
 --- *epiphylla*, 66, 77, 93  
 --- *eupatorii-columbiani*, 76  
 --- *exornata*, 63  
 --- *fallax*, 89  
 --- *ferox*, 103  
 --- *fraterna*, 103  
 --- *glumarum*, 102  
 --- *gnaphaliata*, 78  
 --- *gouaniae*, 79  
 --- *graminis*, 80, 94  
 --- --- *var. avenae*, 63  
 --- --- *var. tritici*, 102, 151  
 --- *heliocarpi*, 80  
 --- *heliotropii*, 80  
 --- *heterospora*, 60, 62, 85, 91, 98, 104  
 --- *hieracii*, 80  
 --- *hilleriae*, 80  
 --- *holwayula*, 89, 104  
 --- *huberi*, 89  
 --- *hydrocotyles*, 80  
 --- *hyptidis*, 81  
 --- --- *var. mutabilis*, 81  
 --- *impedita*, 97  
 --- *inclita*, 88  
 --- *invaginata*, 79  
 --- *kaernbachii*, 62  
 --- *kuhniae*, 66  
 --- *lantanae*, 83, 94  
 --- *lasiacidis*, 83  
 --- *lateritia*, 65  
 --- *leonotidis*, 83  
 --- *leptochloae*, 83  
 --- *levis*, 90  
 --- *liberta*, 75  
 --- *lygodii*, 84  
 --- *macra*, 90  
 --- *malvacearum*, 61, 85, 98  
 --- *medellinensis*, 81  
 --- *melampodii*, 75, 101  
 --- *meridensis*, 62  
 --- *mirandensis*, 97  
 --- *nephroidea*, 84  
 --- *obliqua*, 67, 78  
 --- *offuscata*, 105  
 --- *opulenta*, 82  
 (*Puccinia*) *oxalidis*, 89  
 --- *pallidissima*, 100  
 --- *parthenii*, 90  
 --- *paspalicola*, 90  
 --- *phakopsoroides*, 88  
 --- *pittieriana*, 99  
 --- *polygoni-amphibii*, 94  
 --- *polysora*, 102  
 --- *porophylli*, 94  
 --- *psidii*, 88, 94  
 --- *purpurea*, 100  
 --- *puta*, 82  
 --- *rotundata*, 103  
 --- *rubigo-vera var. tritici*, 102  
 --- *rubricans*, 64  
 --- *ruelliae*, 64, 96  
 --- *scleriae*, 91  
 --- *setariae*, 98  
 --- *sherardiana*, 98  
 --- *solani-tristis*, 99  
 --- *sorghii*, 105, 151; *Darluca filum*, 1st  
 rept. from Iowa, 151  
 --- *spegazzini*, 86  
 --- *spilanthicola*, 100  
 --- *subcoronata*, 73  
 --- *substriata*, 76, 90, 98  
 --- *tageticola*, 101  
 --- *unilateralis*, 78  
 --- *venezuelana*, 77  
 --- *waltheriae*, 104  
*Pucciniopsis lonchocarpi*, 84  
*Pueraria thunbergiana*: *Cuscuta japonica*  
 in China, 180  
*Punctillina solteroi*, 105  
 Purple blotch, of onion, fungicide tests for  
 control of, 4, 112  
*Pyrus* spp.: non-fungus diseases in China,  
 180  
*Pythium* sp., on *Aleurites fordii*, 196;  
*Mentha* spp., 146; soil treatment for  
 control of, 140  
 --- *aphanidermatum*, on *Aleurites fordii*,  
 196  
 --- *debaryanum*, 3  
 --- stem rot, of bean, 161  
 --- *ultimum*, 88  
 Quebec, 204  
 Queensland, 189  
*Quercus* spp.: *Chalara quercina*, perithecial  
 stage of, 1st rept., 158; leaf blister,  
 159; non-fungus diseases in China,  
 180; oak wilt, 1st rept. from Mich.,  
 and W. Va., 146  
 Races (see also strains), of cereal rusts,  
 use of cyclone separators, 150; bean  
 rust, 161  
*Ramularia* sp., on *Capsicum*, 67  
 --- *areola*, 79  
 --- *malvastri*, 85

- (*Ramularia*) *tenuis*, 90  
 --- *tulasnei*, 78  
*Raphanus sativus*: *Pseudomonas maculicola* in China, 180  
*Raspberry* (see also *Rubus*): anthracnose, fungicide tests for control of, 117, 135  
*Ravenelia* sp., on *Bauhinia*, 64; *Cassia*, 68; *Mimosa*, 86; *Peiranisia*, 91; *Pithecolobium*, 93; *Poiretia*, 94  
 --- *appendiculata*, 92, 93  
 --- *caulicola*, 101  
 --- *concinna*, 60  
 --- *cubensis*, 91  
 --- *echinata*, 66  
 --- *igualiaca*, 86  
 --- *indica*, 68  
 --- *indigoferae*, 81  
 --- *indissimilis*, 87  
 --- *ingae*, 81  
 --- *mimosae-albidae*, 87  
 --- *mimosae-sensitivae*, 87  
 --- *mirandensis*, 68  
 --- *pithecolobii*, 93  
 --- *portoricensis*, 68  
 --- *spinulosa*, 68  
*Raya blanca* (virus), 100  
 "Red leaf", of oats, 150  
 Red stele, of strawberry, 153  
 Red stem canker, of cowpea, 145  
*Rehmiodothis eugeniae*, 76  
 --- *lamulera*, 83  
*Rhagadolobium cucurbitacearum*, 73  
*Rhizoctonia*, on bean, fungicide tests for control of, 3  
 --- *crocorum*, 144  
 --- *lamellifera*, on *Aleurites montana*, 196  
 --- *microsclerotia*, 78, 92, 152  
 --- *ramicola* n. sp., 155  
 --- *solani*, 66, 69, 83, 88, 92, 98, 99, 111; on *Aleurites* spp., 196; *Mentha* spp., 146; soil treatment for control of, 140  
 --- stem rot, of *Dianthus caryophyllus*, fungicide tests for control of, 16  
*Rhizopus nigricans*, 70  
*Rhodesia*, southern, 199  
*Rhododendron*: petal blight, fungicide tests for control of, 18  
*Rhopographus zeae*, 105  
*Rhus* spp.: *Cuscuta japonica* in China, 181  
*Ribes* spp.: white pine blister rust, fungicide tests for control of, 117  
 --- *grossulariae*: white pine blister rust, fungicide tests for control of, 117  
 Rice (see also *Oryza*), dwarf disease (virus), 36  
*Ricinus communis*: *Xanthomonas ricinicola* in China, 181  
 Ring rot, of potato, 162  
 Role of insect surveys in virus-vector research, 47  
 Role of insects in the transmission of plant (Role of insects) diseases, 35  
 Root-lesion nematode disease, of *Narcissus*, *Pratylenchus* sp. assoc., 156  
 Root rot, of apple, 145; *Camellia*, 145; *Carthamus tinctorius*, 157; *Cedrus deodara*, 149; *Chamaecyparis lawsoniana* var. *elwoodii*, 146; cotton, 146; *Cupressus sempervirens glauca*, 149; *Libocedrus decurrens*, 149; *Myrtus compacta*, 149; *Pinus*, 147; *Thuja compacta*, 148  
 Root and heart rot, of pineapple, 152  
*Rosa*: blackspot, fungicide tests for control of, 16; *Cuscuta japonica* in China, 181; downy mildew, 156; powdery mildew, fungicide tests for control of, 16, 118  
 --- *multiflora*: anthracnose, 1st rept. from Md., 146  
*Rosellinia* sp(p.), on *Aleurites fordii*, 196; *Coffea*, 71  
*Rosencheldia paraguayana*, 81, 83  
 Rot nematode, of potato, 162  
*Rubus* spp.: non-fungus diseases in China, 181  
 --- *flagellaris* var. *roribaccus*: powdery mildew, 154  
 --- *idaeus*: *Erwinia amylovora* f. sp. *rubi*, 155  
*Ruga tabaci*, 88  
*Rumex* sp.: *Cuscuta chichymum* in China, 181  
 Russet, of apple, fungicide tests for control of, 30, 129, 130  
 Russia, 39, 199  
 Russian coast of Black Sea, 189  
 Rust, see *Coleosporium*, *Gymnosporangium*, *Peridermium*, *Puccinia*, *Uromyces*  
*Saccardinula usteriana*, 105  
*Saccharum officinarum*: non-fungus diseases in China, 181  
 Safflower, see *Carthamus*  
*Salix* spp.: non-fungus diseases in China, 181  
*Sasa albo-marginata*: non-fungus diseases in China, 182  
*Sassafras albidum*: *Ganoderma* sp., new host (N. Y.), 149  
*Saururus loureiri*: *Cuscuta japonica* in China, 182  
*Saussurea affinis*: *Cuscuta japonica* in China, 182  
 Scab, of apple, 153, fungicide tests for control of, 23, 119; *Carya pecan*, 155, fungicide tests for control of, 31, 136; peach, fungicide tests for control of, 132; pear, fungicide tests for control of, 30  
*Schizophyllum commune*, on *Aleurites* spp., 196  
*Scleroconium venezuelanum*, 105



- Sclerospora* sp., on barley, 150  
 --- *graminicola*, 150  
 --- *macrospora*, 150  
*Sclerotinia* spp., on *Centaurea cyanus*, 155  
 --- dry rot, of *Gladiolus*, fungicide tests for control of, 15  
 --- *gladioli*, 15  
 --- *homeocarpa*, 19, 118  
 --- *ricini*, 95  
 --- *sclerotiorum*, 14, 88  
 --- *trifoliorum*, soil treatment for control of, 140  
*Sclerotium bataticola*, on *Aleurites montana*, 196  
 --- *rolfsii*, 14, 62, 64, 67, 78, 79, 84, 85, 88, 92, 97, 99, 100, 104  
 --- *rolfsii*, on *Aleurites* spp., 196  
*Scolecopeltis larvae*, 95  
*Scolecotrichum graminis*, 150  
*Scopella sapotae*, 60  
*Scrophularia patriniana*: *Cuscuta japonica* in China, 182  
 Seed decay, of peas, fungicide tests for control of, 5  
 Seed decay and damping-off, of peas, 113  
 Seed decay and seedling disease, of corn, fungicide tests for control of, 5  
 Seed rot and seedling blight, of corn, fungicide tests for control of, 111  
 Seed and soil-borne diseases, of peanut, fungicide tests for control of, 113  
 Seed and soil-borne rots of corn, fungicide tests for control of, 111  
*Septobasidium aleuritidis*, parasitizing scale insects assoc. with *Aleurites fordii*, 196  
 --- *bogoriense*, on *Aleurites fordii*, 196  
 --- *pseudopedicellatum*, on *Aleurites fordii*, 197  
 --- *saccardinum*, on *Aleurites fordii*, 197  
*Septogloeum* sp., on *Arachis*, 62  
 --- *mori*, 87  
*Septonema* sp., on *Musa*, 87  
 --- *agave*, 60  
*Septoria* sp., on *Bidens*, 64; *Capparis*, 67; *Citrus*, 70; *Coffea*, 71; *Eupatorium*, 76; *Lagerstroemia*, 83; *Melia*, 85; *Serjania*, 97; *Solanum*, 99; *Spigelia*, 100; *Tabebuia*, 101; *Vernonia*, 103  
 --- *alamoi*, 99  
 --- *apii*, 4, 62, 63, 74, 111  
 --- *bunchosiae*, 66  
 --- *citri*, 70  
 --- *cucutana*, 101  
 --- *dianthi*, 74  
 --- *lactucae*, 83  
 --- *lycopersici*, 10, 84, fungicide tests for control of, 10, 117  
 --- *melastomatum*, 85  
 --- *nodorum*, 102  
 --- *obesa*, 17, 118  
 --- *petroselini*, 92  
 --- *(Septoria) rubi*, 96  
 --- *tovarensis*, 93  
 --- *verbena*, 103  
*Sesamum indicum*: non-fungus diseases in China, 182  
*Setaria italica*: non-fungus diseases in China, 182  
 Silver leaf, of apple, 153  
*Sirosperma hypocrellae*, 63  
 Smut, of *Gladiolus* spp., 156; onion, fungicide tests for control of, 4; spinach, 147  
 ---, covered, of barley, fungicide tests for control of, 150  
 ---, head, of *Bromus marginatus*, 151  
 Smuts, of oats, fungicides tested for control of, 150  
 Soil treatment to control fungi, 14, 137; nematodes, 12, 137  
*Solanum* spp.: non-fungus diseases in China, 182  
*Somatexis coccolobis*, 71  
 Sooty blotch of apple, fungicide tests for control of, 29, 128, 129  
*Sophora flavescens*: *Cuscuta japonica* in China, 183  
*Sorghum vulgare*: non-fungus diseases in China, 183  
 South Carolina, 3, 9, 10, 12, 110, 119, 137, 144, 145, 153, 154, 155, 160, 206, 208, 210, 211  
 South Dakota, 110  
 Soybean: aerial blight, 152; bacterial diseases, 152; brown stem rot 152, 1st rept. from Minn., 145; canker and leaf spot, 152; stem canker, 1st rept. from Minn., 145; wildfire, 152  
*Sphacelia* sp., on *Panicum*, 89  
*Sphaceloma* sp., on *Euphorbia*, 77; *Metastelma*, 86; *Prunus*, 94; *Solanum*, 99  
 --- *fawcettii*, 70  
 --- *hederae*, 146  
 --- *menthae*, 146  
 --- *rosarum*, 96, 146  
 --- *viburni*, 147  
*Sphacelotheca cordobensis*, 102  
 --- *guaranitica*, 62  
 --- *holci*, 100  
 --- *sorghii*, 100  
*Sphaerodothis columbiensis*, 91  
 --- *consociata*, 76  
 --- *fourcroyae*, 78  
 --- *portoricensis*, 63  
*Sphaeronaema reinkingii*, on *Aleurites moluccana*, 197  
*Sphaeropsis tumefaciens*, 70  
*Sphaerostilbe repens*, on *Aleurites montana*, 197  
*Sphaerotheca humuli*, 154  
 --- *pannosa*, 96  
 --- --- *var. rosae*, 17, 118

- Sphenospora pallida*, 75  
 --- *yurimaguasensis*, 98  
 Spinach: downy mildew, fungicide tests for control of, 115; non-fungus diseases in China, 183; smut, 1st rept. from Wash., 147  
*Spondylocladium atrovirens*, 99  
*Spongospora subterranea*, 99  
 Spot anthracnose, of *Cornus florida*, 158; *Viburnum opulus*, 147  
 Squash: mosaic (virus), 53  
*Stachyliidium theobromae*, 87  
*Stellaria media*, 14  
 Stem canker, of soybean, 145  
 Stem rot, of tomato, 160  
*Stemphyliomma crotonis*, 72  
*Stemphylium*, on tomato, 207, fungicide tests for control of, 9  
 --- *sarcinaeforme*, 85  
 --- *solani*, 160  
*Stereum purpureum*, 153  
*Stigme costaricana*, 82  
*Stigmella graminicola*, 102  
*Stilbella flavida*, 71  
*Stilbum flavidum*, 105  
*Stomiopeltis eugeniae*, 76  
 Strains (see also races), of potato-mottle virus, 40; potato virus Y, 162; rugose mosaic of potato, 162; *Verticillium albo-atrum* on potato, 162  
 Strawberry: chlorotic phyllody (unknown cause), new and undescribed, in La., 148; gray mold rot, 153, fungicide tests for control of, 135; leaf scorch, fungicide tests for control of, 135; leaf spot, fungicide tests for control of, 31, 135; red stele, 153; virus diseases, 153  
*Streptomycin sulfate*, 161  
*Strigula elegans*, 85  
 Sugar beet: curly top (virus), 36, 37, 39, 40, 44; *Heterodera schachtii*, 157; mosaic (virus), 44; yellow wilt (virus), 43, 44; yellows (virus), 39, 44  
 Sugar cane: Fiji disease (virus), 38  
 Sulfur, 161  
 Summary of results of fungicide tests, on crops other than fruit diseases, 1950, Suppl. 210, pp. 2-19  
 Summary of results of fungicide tests on fruit and nut trees, 1950, 23  
 Summary of results of fungicide tests in the United States and Canada, 1951, Suppl. 213: 109-140  
 Sweetpotato: black rot, fungicide tests for control of, 115; internal cork (virus), 160  
*Synchytrium citrinum*, 74  
 --- *dolichi*, 95  
 --- *endobioticum*, 162  
*Syringa* sp.: witches'-broom (? virus), new host (Md.), 148  
*Syzygium jambos*: *Cephaleuros virescens* in China, 183  
*Taphrina caerulescens*, 159  
 --- *deformans*, 61, 144, 154  
 Tar spot, of *Ilex* spp., 156  
*Telimenia* sp., on *Paspalum*, 90  
 Tennessee, 6, 137, 149, 203  
*Terramycin hydrochloride*, 161  
 Tettigellinae, 50  
 Texas, 48, 144, 146, 157, 160, 211  
*Thea sinensis*: non-fungus diseases in China, 183  
*Thielaviopsis basicola*, 146  
 --- *paradoxa*, 61  
 Threadblight, of *Elaeagnus pungens*, 155  
*Thrips tabaci*, 112  
*Thuja compacta*: root rot, new host, (Calif.), 148  
*Thyridaria* sp., on *Aleurites montana*, 197  
*Thyrsidium botryospermum* f. *verrucosa*, on *Aleurites moluccana*, 197  
 Thysanoptera, 48  
*Tilletia* spp., on wheat, 150  
 --- *caries*, 102  
 --- *foetida*, 102  
 --- *rugispora*, 90  
 Tobacco (see also *Nicotiana*): anthracnose, 1st rept. from N. C., 146; *Ascochyta* leaf spot, 157; black shank, 158; blue mold, 157, 203, fungicide tests for control of, 19, 115; *Heterodera rostrchiensis*, 157; *Meloidogyne* spp., 157; mosaic (virus), 37, 40, 41, 53; ring-spot (virus), 37, 53  
 Tomato (see also *Lycopersicon*): anthracnose fungicide tests for control of, 5, 117; blue mold, 211; crown gall, 160; early blight, fungicide tests for control of, 6, 116; fruit rot, 161; *Heterodera* sp., 157; late blight, 144, 160, 203, fungicide tests for control of, 8, 116; nail-head leaf spot, fungicide tests for control of, 116; *Phoma* leaf spot, fungicide tests for control of, 10; *Septoria* blight, fungicide tests for control of, 10, 117; spotted wilt (virus), 36, 39, 40, 51; stem rot, 160; *Stemphylium* leaf spot, 160, 207; fungicide tests for control of, 9  
*Torilis anthriscus*: *Cuscuta japonica* in China, 183  
*Toroa dimerosporioides*, 66  
*Toxoptera graminum*, 150  
*Trabutia amphigena*, 84  
 --- *conica*, 84  
 --- *sauraniae*, 97  
*Trametes corrugata*, on *Aleurites*, 197  
 --- *occidentalis*, on *Aleurites montana*, 197  
 --- *persoonii*, on *Aleurites moluccana*, 197  
 --- *serpens*, on *Aleurites* sp., 197

- Trans 1, 4-dibromobutene-2, 159  
 Tranzschelia punctata, 61  
 Tribasic copper, 211  
 Tribasic copper sulfate, 161  
 Trichocinnus tecomae, 101  
 Trichoderma lignorum, 16  
 Trichothyrium dubiosum, 82  
 Tricothecium roseum, 161  
 Trifolium spp.: non-fungus diseases in  
   China, 183  
 --- pratense: black patch (fungus undet.),  
   152; vein-mosaic (virus), 161  
 --- repens var. Ladino: alfalfa-mosaic  
   virus, 41  
 Tristeza, of Citrus in South America, 152  
 Triticum aestivum: non-fungus diseases in  
   China, 183  
 Tropaeolum majus: mosaic (virus) in China,  
   183  
 Tuberculina costaricana, 95  
 Turf, see Gramineae  
 Turnip: mosaic (virus), 53  
 Turnip greens: Cercospora leaf spot,  
   fungicide tests for control of, 117  
 Tylenchulus semi-penetrans, 153  
 Typhodium eupatorii, 76  
 Typhula sp., on wheat, soil treatment for  
   control of, 135  
  
 Ulmus: Dutch elm disease, 35, 159  
 Uncinula miyabei var. aleurites, on Aleurites  
   fordii, 197  
 --- necator, 104  
 United States, 189, 199  
 Uredinopsis macrosperma, 94  
 Uredo sp., on Artocarpus, 63; Blechum, 64;  
   Brownea sp., 66; Clibadium, 70; Coc-  
   coloba, 71; Croton, 72; Erythroxyton,  
   76; Indigofera, 81; Machaerium, 84;  
   Mimosa, 86; Paspalum, 90; Vernonia,  
   103  
 --- alchorneae, 60  
 --- artocarpi, 63  
 --- borrierae, 65  
 --- coccolobae, 102  
 --- combreti, 71  
 --- cyathulae, 73  
 --- erythroxytonis, 76  
 --- eupatoriorum, 76  
 --- evolvuli, 77  
 --- ficina, 77  
 --- guareae, 79  
 --- hameliae, 79  
 --- hymenaeae, 81  
 --- ignava, 63  
 --- ingae, 81  
 --- kyllingiae, 73  
 --- lycoseridis, 84  
 --- maculans, 61  
 --- melinidis, 85  
 --- meridae, 103  
 --- (Uredo) monochaeti, 87  
 --- monsterae, 87  
 --- monstericola, 87  
 --- paraphysata, 88  
 --- pehriae, 91  
 --- polylepidis, 94  
 --- pusilla, 84  
 --- rhombica, 63  
 --- rubescens, 75  
 --- rubida, 62  
 --- sabiceicola, 96  
 --- uviferae, 71  
 Urocystis cepulae, 4  
 --- gladioli, 156  
 --- tritici, 102  
 Uromyces sp., on Bauhinia, 64; Bidens, 64;  
   Cajanus, 66; Phaseolus, 92; Poiretia,  
   94  
 --- asclepiadis, 63  
 --- bauhinicola, 64  
 --- bidenticola, 64  
 --- bidentis, on Bidens, 64  
 --- bonariensis, 78  
 --- caryophyllinus, 74  
 --- cestri, 68  
 --- cisnerosanus, 97  
 --- clarus, 82  
 --- columbianus, 85  
 --- commelinae, 102  
 --- costaricensis, 83  
 --- crucheti, 65  
 --- decoratus, 72  
 --- dolicholi, 66  
 --- emmeorrhizae, 71  
 --- eragrostidis, 75, 76  
 --- fabae, 103  
 --- flectens, 102  
 --- gemmatus, 82  
 --- guatemalensis, 64  
 --- hedysari-paniculati, 74  
 --- hyperici-frondosi, 81  
 --- ignobilis, 100  
 --- imperfectus, 64  
 --- indigoferae, 81  
 --- jamaicensis, 64  
 --- janiphae, 85  
 --- leptodermis, 89  
 --- medicaginis, 102  
 --- megalospermus, 101  
 --- neurocarpi, 70  
 --- panici-sanguinalis, 74  
 --- phaseoli var. typica, 92, 161  
 --- poiretiae, 94  
 --- proeminens, 77  
 --- rynchosporae, 96  
 --- scleriae, 97  
 --- striatus, 85  
 --- trifolii, 102  
 --- tripsaci, 102  
 --- vignae, 103  
 --- wulfiae-stenoglossae, 104

- Uropyxis daleae*, 73  
*Ustilaginoidea dichronemae*, 74  
 --- *oryzae*, 88  
*Ustilago* sp., on *Andropogon*, 62; *Cenchrus*, 68; oats, 150  
 --- *avenae*, 63  
 --- *bullata*, 151  
 --- *hordei*, 80, 150  
 --- *maydis*, 105  
 --- *nuda*, 80  
 --- *panici-petrosi*, 89  
 --- *subnitens*, 97  
 --- *tritici*, 103  
 --- *utriculosa*, 94  
 --- *venezuelana*, 90  
*Ustulina deusta*, on *Aleurites*, 197  
 --- *maxima*, on *Aleurites montana*, 197  
 --- *zonata*, on *Aleurites montana*, 197  
 Utah, 45, 154  
  
*Vaccinium* spp.: *Agrobacterium tumefaciens*, 155  
*Valsonectria orbiculata*, 88  
 Vegetable crops: fungicide evaluation studies, 3  
 Venezuela, host index of plant pathogens, 59-106  
*Venturia inaequalis*, 23, 120, 153  
 --- *pyrina*, 30  
*Vermicularia* sp., on *Solanum*, 99  
*Verticillium albo-atrum*, 79; on geranium, 146; potato, 162  
*Viburnum opulus*: spot anthracnose, 1st rept. from Md., 147  
*Vicia faba*: *Pseudomonas viciae* in China, 183  
*Vigna sinensis*: non-fungus diseases in China, 184; *Xanthomonas vignicola*, 152  
*Viola* sp.: non-fungus diseases in China, 184  
 Violet root rot, of alfalfa, 144  
 Virginia, 9, 23, 40, 119, 137, 149, 161, 206, 208, 210, 212  
 Virus diseases: alfalfa mosaic of Ladino clover, pepper, and potato, 41  
 --- --- cucumber mosaic, of Easter lily, 37; gladiolus, 37  
 --- --- curly top of sugar beet, 36, 37, 39, 40, 44  
 --- --- degeneration of grape, 155  
 --- --- dwarf of rice, 36  
 --- --- Fiji disease of sugar cane, 38  
 --- --- internal cork of sweetpotato, 160  
 --- --- leaf curl of cotton, 39  
 --- --- little peach of peach, 43  
 --- --- Marmor sp., on Anoda, 62  
 --- --- mosaic of alfalfa, 41; barley, 150; bean, 37, 161; Capsicum, 67; Carica, 67; cowpea, 53; cucumber, 39, 41; *Dipsacus fullonum*, 157; Glycine, 78; *Gossypium*, 79; lettuce, 37, 160; (Virus diseases) *Momordica*, 87; peach, 43; *Phaseolus*, 92; *Pueraria*, 95; *Saccharum*, 96; *Sesamum*, 98; squash, 53; sugar beet, 44; tobacco, 37, 40, 41, 53; turnip, 53; *Vigna*, 104; wheat, 39, 150  
 --- --- mottle of potato, 40  
 --- --- phony peach of peach, 43, 47, 154; wild plum, 154  
 --- --- Pierce's disease of grape, 39, 47, 155  
 --- --- quick decline and related diseases of *Citrus* spp., 152  
 --- --- red clover vein mosaic, 161  
 --- --- ring spot of peach, 44; tobacco, 37, 53  
 --- --- rosette of peach, 44, 154; peanut, 38, 39  
 --- --- rugose mosaic of potato, 162  
 --- --- southern celery mosaic of celery, 39  
 --- --- spotted wilt of dahlia, 37; tomato, 36, 39, 40, 51  
 --- --- of strawberry, 153  
 --- --- streak of *Solanum*, 99  
 --- --- streak-mosaic of wheat, 150  
 --- --- stripe of corn, 39  
 --- --- stunt of blueberry, 145  
 --- --- swollen shoot of cacao, 43  
 --- --- tristeza of citrus, 43  
 --- --- virus infection of cantaloupe and honey dew melon, 159  
 --- --- western celery mosaic, 52  
 --- --- Western X-disease of chokecherry and peach, 154  
 --- --- Western X-little cherry of sour cherry and sweet cherry, 154  
 --- --- Wisconsin pea stunt, 161  
 --- --- witches'-broom of Japanese lilac, 148; *Pseudotsuga taxifolia*, 149  
 --- --- X-disease of sweet cherry, 145  
 --- --- X virus of potato, 53  
 --- --- yellow dwarf of barley, 147; onion, 52; wheat, 150  
 --- --- yellow leaf roll of peach, 154  
 --- --- yellow wilt of sugar beet, 43, 44  
 --- --- yellows of aster, 36; beet, 38; cherry, 44; peach, 37, 38, 39, 43, 50; sugar beet, 39, 44  
*Vitex trifolia*: *Cuscuta japonica* in China, 184  
*Vitis vinifera*: *Eriophyes vitis* in China, 184  
  
 Warning service, plant disease, in 1952, 203-212  
 Wart, of potato, 162  
 Washington, 23, 29, 119, 137, 144, 147, 149, 155, 161  
 Waterchestnut, Chinese, see *Eleocharis*  
 Watermelon: downy mildew, fungicide test:

- (Watermelon) for control of, 11; *Fusarium* wilt, 160; leaf spot, 160
- Weather 1951, summary, 142; temperature and precipitation, maps, 143
- Weather injuries: cold injury to woody plants, 158; hail damage to bean, 161
- Weather in relation to plant disease, 144
- West Indies, 38
- West Virginia, 9, 30, 110, 145, 147, 149, 152
- Wheat (see also *Triticum*): bunt, fungicide tests for control of, 150; mosaic (virus), 39, new to California, 150; stem rust, 151; streak-mosaic (virus), 150; *Typhula* sp., soil treatment for control of, 140; yellow dwarf (virus), 150; yellow spot, 150
- Whetzelia venezuelensis*, 60
- Whiteheads, of oats in Minn., 150
- White pine blister rust, on gooseberry and *Ribes* spp., fungicide tests for control of, 117
- Wildfire, of soybean, 152
- Wilt, oak, of *Quercus*, 146
- Wisconsin, 5, 23, 30, 119, 144, 206, 209
- Woody plants: cold injury, 158
- Xanthomonas campestris*, 65  
 --- *juglandis*, 136  
 --- *malvacearum*, 79, 157  
 --- *phaseoli*, 3, 92  
 --- --- var. *sojense*, 152  
 --- *pruni*, 30, 131  
 --- *solanacearum* (see also *Pseudomonas* s.), 87, 99, on *Aleurites moluccana*, 198  
 --- *vignicola*, on *Vigna sinensis*, 152
- Xenostomella meridensis*, 86
- Xylaria ianthino-velutina*, 64  
 --- polymorpha, 145
- Xylosma congestum*: *Cuscuta japonica* in China, 184
- Yellow spot, of wheat, 150
- Zanthoxylum* spp.: *Cuscuta japonica* in China, 184
- Zea mays*: non-fungus diseases in China, 184
- Zinc sulfate, 211
- Zineb, 161, 207, 208, 209, 211, 212
- Ziram, 161
- Zizyphus* spp.: non-fungus diseases in China, 184
- Zostera marina*: recovery on Mass. shore line, 158

## ERRATA

- On page 53, 4th paragraph, lines 2 and 3, read *Diabotrica undecimpunctata undecimpunctata* instead of *Diabotrica unidecimpunctata unidecimpunctata*.
- On page 84, under M. MORITZIANUM, read *Catacauma venezuelensis*, instead of *Catacauma venezuelansis*.
- On page 157, 5th paragraph, read *ELEOCHARIS DULCIS*, instead of *ELEOCHARIS DULCIA*.

The first of these is the  
 fact that the...  
 and the...  
 which...  
 of the...  
 in the...

It is clear that...  
 the...  
 of...  
 to...

The second of these is...  
 and...  
 of...  
 in...

It is evident that...  
 the...  
 of...  
 to...